

**NEDERLANDSE GEOLOGISCHE VERENIGING & WERKGROEP MUSCHELKALK WINTERSWIJK
GRONDOOR & HAMER NR. 5/6 - JAARGANG 73, 2019 EDITIE STARINGIA 16**

Inhoudsopgave – Table of contents

P.143 WEERKOMM' DE KALKSTEENGROEVE IN WINTERSWIJK	2
P.147 THE VOSSENVELD FORMATION AND BIOTIC RECOVERY FROM THE END-PERMIAN EXTINCTION	2
P.153 HOE HET BEGON: ONTDEKKING EN EERSTE GEBRUIK VAN DE KALKSTEEN.....	5
P.156 ACADEMIC EXCAVATIONS	6
P.161 LIEFHEBBERS VAN DE STEENGROEVE; 25 JAAR GEZAMENLIJK DOOR DE MUSCHELKALK	6
P.165 THE WINTERSWIJK TRIASSIC WINDOW AND ITS SETTING - A HELICOPTER VIEW.....	7
P.167 STRATIGRAPHY AND GEOCHEMISTRY OF THE VOSSENVELD FORMATION	7
P.178 HET IS NIET AL GOUD WAT BLINKT	11
P.185 NON-ARTHROPOD INVERTEBRATES FROM THE MIDDLE TRIASSIC MUSCHELKALK OF WINTERSWIJK.....	11
P.191 MARINE ARTHROPODS FROM THE MIDDLE TRIASSIC OF WINTERSWIJK	14
P.195 THE INSECTS OF THE WINTERSWIJK MUSCHELKALK	16
P.198 THE FISH FAUNA OF THE WINTERSWIJK VOSSENVELD FORMATION.....	17
P.208 TANYSTROPHEIDS FROM THE WINTERSWIJK QUARRY – RARE BUT RECURRING ELEMENTS.....	18
P.216 WITH PLATES AND SPIKES – THE HEAVILY ARMoured <i>EUSAUROSPHARGIS</i> AFF. <i>DALSASSOI</i>	20
P.222 THE IMPORTANCE OF WINTERSWIJK FOR UNDERSTANDING PLACODONTIFORM EVOLUTION.....	22
P.226 <i>ANAROSAURUS HETERODONTUS</i> – THE LEAST AQUATIC PACHYPLEUROSAUR	23
P.234 NOTHO SAUROIDEA FROM THE VOSSENVELD FORMATION AND THEIR RELATIVES	26
P.245 ANCESTORS TO THE PLESIOSAURS? ON TRIASSIC PISTOSAUROIDEA AND THE POTENTIAL PRESENCE OF CYMATOSAURS IN WINTERSWIJK	29
P.250 LEAVING ONLY TRACE FOSSILS - THE UNKNOWN VISITORS OF WINTERSWIJK	31
P.258 THE TAPHONOMY OF THE ANISIAN OF WINTERSWIJK - INSIGHTS INTO A UNIQUE ENVIRONMENT	32
P.266 REMARKABLE EUSAUROPTERYGIAN HUMERI FROM THE VOSSENVELD FORMATION	33
P.273 AN AFF. <i>EUSAUROSPHARGIS</i> VERTEBRA ASSOCIATED WITH AN ISOLATED DENTARY	35
P.278 HET BERGEN EN PREPAREREN VAN FOSSIËLEN UIT DE GROEVE	37
P.288 MUSEUM COLLECTIONS AND EXHIBITIONS.....	37
P.294 STATE-OF-THE-ART: VIRTUAL PALAEONTOLOGY OF VOSSENVELD FOSSILS	37

NEDERLANDSE GEOLOGISCHE VERENIGING (NGV)
& WERKGROEP MUSCHELKALK WINTERSWIJK (WMW)
GRONDBOOR & HAMER NR. 5/6 - JAARGANG 73, 2019
VOLLEDIGE LITERATUURLIJST - Editie STARINGIA 16 - FULL REFERENCES

P.143 WEERKOMM' DE KALKSTEENGROEVE IN WINTERSWIJK

Sofie Aalders & Henk Duyverman¹

(¹Hoofdredacteur Nederlandse Geologische Vereniging - Grondboor & Hamer)

- No declared references / geen referenties opgegeven.

P.147 THE VOSSENVELD FORMATION AND BIOTIC RECOVERY FROM THE END-PERMIAN EXTINCTION

Jun Liu^{1,2}, P. Martin Sander¹

(¹Institute of Geosciences, University of Bonn, Bonn 53009, Germany;

²School of Resources and Environmental Engineering, Hefei University of Technology, Hefei 230009, China; Email: junliu@hfut.edu.cn)

- **Albers, P.C.H., 2005.** A new specimen of *Nothosaurus marchicus* with features that relate the taxon to *Nothosaurus winterswijkensis*. PalArch's journal of vertebrate palaeontology, v.3, no.1, pp.1-7.

- **Albers, P.C.H., 2011.** New *Nothosaurus* skulls from the Lower Muschelkalk of the western Lower Saxony Basin (Winterswijk, the Netherlands) shed new light on the status of *Nothosaurus winterswijkensis*. Netherlands Journal of Geosciences-Geologie en Mijnbouw, v.90, no.1, pp.15-21. <https://doi.org/10.1017/s0016774600000639>

- **Benson, R.B.J., & R.J. Butler, 2011.** Uncovering the diversification history of marine tetrapods: ecology influences the effect of geological sampling biases. Geological Society, London, Special Publications, v.358, no.1, pp.191-208. <https://doi.org/10.1144/sp358.13>

- **Benson, R.B.J., R.J. Butler, J. Lindgren, & A.S. Smith, 2010.** Mesozoic marine tetrapod diversity: mass extinctions and temporal heterogeneity in geological megabiases affecting vertebrates. Proceedings of the Royal Society B Biological Sciences, v.277, no.1683, pp.829-834.

- **Benton, M.J., 2015.** *Vertebrate Palaeontology*, John Wiley & Sons, 480 p.

- **Benton, M.J., Q. Zhang, S. Hu, Z.-Q Chen, W. Wen, J. Liu, J.-Y Huang, C.-Y. Zhou, T. Xie, J. Tong & B. Choo, 2013.** Exceptional vertebrate biotas from the Triassic of China, and the expansion of marine ecosystems after the Permo-Triassic mass extinction. Earth-Science Reviews, v.125, pp.199-243. <https://doi.org/10.1016/j.earscirev.2013.05.014>

- **Brayard, A., G. Escarguel, H. Bucher, C. Monnet, T. Brühwiler, N. Goudemand, T Galfetti, & J. Guex, 2009,** Good genes and good luck: ammonoid diversity and the end-Permian mass extinction. Science, v.325, no.5944, pp.1118-1121. <https://doi.org/10.1126/science.1174638>

- **Casini, M., T. Blenckner, C. Möllmann, A. Gårdmark, M. Lindegren, M. Llope, G. Kornilovs, M. Plikshs, & N.C. Stenseth, 2012.** Predator transitory spillover induces trophic cascades in ecological sinks. Proceedings of the National Academy of Sciences, v.109, no.21, pp.8185-8189. <https://doi.org/10.1073/pnas.1113286109>

- **Chen, Z.-Q., & M.J. Benton, 2012.** The timing and pattern of biotic recovery following the end-Permian mass extinction. Nature Geoscience, v.5, no.6, pp.375-383. <https://doi.org/10.1038/ngeo1475>

- **Cheng, L., R. Motani, D.-Y. Jiang, C.-B. Yan, A. Tintori, & O. Rieppel, 2019.** Early Triassic marine reptile representing the oldest record of unusually small eyes in reptiles indicating non-visual prey detection. Scientific Reports, v.9, no.1, p. 152. <https://doi.org/10.1038/s41598-018-37754-6>

- **Dülfer, O., & N. Klein, 2006.** Studentische Lehrgrabung im Winterswijker Muschelkalk. Der Präparator, v.52, pp.90-96.

- Fröbisch, N.B., J. Fröbisch, P.M. Sander, L. Schmitz, & O. Rieppel, 2013. *Macropredatory ichthyosaur from the Middle Triassic and the origin of modern trophic networks*. Proceedings of the National Academy of Sciences of the United States of America, v.110, no.4, pp.1393-1397. <https://doi.org/10.1073/pnas.1216750110>
- Heijne, J., N. Klein, & P.M. Sander, 2019. *The uniquely diverse taphonomy of the marine reptile skeletons (Sauropterygia) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands*. Paläontologische Zeitschrift, v.93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- Hurum, J.H., V.S. Engelschiøn, I. Økland, J. Bratvold, C.P. Ekeheien, A.J. Roberts, L.L. Delsett, B.B. Hansen, A. Mørk, H.A. Nakrem, P.S. Druckenmiller, & Ø. Hammer, 2018. *The history of exploration and stratigraphy of the Early to Middle Triassic vertebrate-bearing strata of Svalbard (Sassendalen Group, Spitsbergen)*. Norwegian Journal of Geology/Norsk Geologisk Forening, v.98, no.2, pp.165-174. <https://doi.org/10.17850/njg98-2-04>
- Kelley, N.P., R. Motani, P. Embree, & M.J. Orchard, 2016. *A new Lower Triassic ichthyopterygian assemblage from Fossil Hill, Nevada*. PeerJ, v.4, p.e1626. <https://doi.org/10.7717/peerj.1626>
- Kelley, N.P., R. Motani, D.-Y. Jiang, O. Rieppel, & L. Schmitz, 2014. *Selective extinction of Triassic marine reptiles during long-term sea-level changes illuminated by seawater strontium isotopes*. Palaeogeography, Palaeoclimatology, Palaeoecology, v.400, pp.9-16. <https://doi.org/10.1016/j.palaeo.2012.07.026>
- Klein, N., 2009. *Skull morphology of Anarosaurus heterodontus (Reptilia: Sauropterygia: Pachypleurosauria) from the Lower Muschelkalk of the Germanic Basin (Winterswijk, the Netherlands)*. Journal of Vertebrate Paleontology, v.29, no.3, pp.665-676. <https://doi.org/10.1671/039.029.0327>
- Klein, N., 2012. *Postcranial morphology and growth of the pachypleurosaur Anarosaurus heterodontus (Sauropterygia) from the Lower Muschelkalk of Winterswijk, The Netherlands*. Paläontologische Zeitschrift, v.86, no.4, pp.389-408. <https://doi.org/10.1007/s12542-012-0137-1>
- Klein, N., & P.C.H. Albers, 2009. *A new species of the sauropsid reptile Nothosaurus from the Lower Muschelkalk of the western Germanic Basin, Winterswijk, The Netherlands*. Acta Palaeontologica Polonica, v.54, no.4, pp.589-598. <https://doi.org/10.4202/app.2008.0083>
- Klein, N., & T.M. Scheyer, 2014. *A new placodont sauropterygian from the Middle Triassic of the Netherlands*. Acta Palaeontologica Polonica, v.59, no.4, pp.887-903. <https://doi.org/10.4202/app.2012.0147>
- Klein, N., D.F.A.E. Voeten, J. Lankamp, R.W. Bleeker, O.J. Sichelschmidt, M. Liebrand, D.C. Nieweg, & P.M. Sander, 2015. *Postcranial material of Nothosaurus marchicus from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands, with remarks on swimming styles and taphonomy*. Paläontologische Zeitschrift, v.89, no.4, pp.961-981. <https://doi.org/10.1007/s12542-015-0273-5>
- Klein, N., D.F.A.E. Voeten, A. Haarhuis, & R.W. Bleeker, 2016. *The earliest record of the genus Laridosaurus from the early middle Anisian (Middle Triassic) of the Germanic Basin*. Journal of Vertebrate Paleontology, v.36, no.4, p.e1163712. <https://doi.org/10.1080/02724634.2016.1163712>
- Klompmaker, A.A., & R.H. Fraaije, 2011. *The oldest (Middle Triassic, Anisian) lobsters from the Netherlands, taxonomy, taphonomy, paleoenvironment, and paleoecology*. Palaeontologia Electronica, v.14, no.1, pp.1-16. https://www.valencia.edu/~pardomv/pe/2011_1/220/220.pdf
- López-Arbarello, A., T. Bürgin, H. Furrer, & R. Stockar, 2016. *New holostean fishes (Actinopterygii: Neopterygii) from the Middle Triassic of the Monte San Giorgio (Canton Ticino, Switzerland)*. PeerJ, v.4, p.e2234. <https://doi.org/10.7717/peerj.2234>
- Lankamp, J., & H. Winkelhorst, 1998. *Van vondst naar verzameling. Vondsten van gewervelde dieren uit de Winterswijkse Muscheikalk*. Grondboor & Hamer, v.52, no.1, pp.17-20. <http://natuurtijdschriften.nl/search?identifier=405794>
- Li, S., J. Tong, K. Liu, F. Wang, & Y. Huo, 2007. *The Lower Triassic cyclic deposition in Chaohu, Anhui Province, China*. Palaeogeography, palaeoclimatology, palaeoecology, v.252, no.1, pp.188-199. <https://doi.org/10.1016/j.palaeo.2006.11.043>

- Liu, J., S.-X. Hu, O. Rieppel, D.-Y. Jiang, M.J. Benton, N.P. Kelley, J.C. Aitchison, C.-Y. Zhou, W. Wen, J.-Y. Huang, T. Xie, & T. Lv, 2014. A gigantic nothosaur (*Reptilia: Sauropterygia*) from the Middle Triassic of SW China and its implication for the Triassic biotic recovery. *Scientific Reports*, v.4, no.7142, pp.1-9. <https://doi.org/10.1038/srep07142>
- Liu, J., C.L. Organ, M.J. Benton, M.C. Bradley, & J.C. Aitchison, 2017. Live birth in an archosauromorph reptile. *Nature Communications*, v.8, no.14445, pp.1-8. <https://doi.org/10.1038/ncomms14445>
- Maxwell, E.E., H.J. Diependaal, H. Winkelhorst, G. Goris, & N. Klein, 2016. A new species of *Saurichthys* (*Actinopterygii: saurichthyidae*) from the Middle Triassic of Winterswijk, The Netherlands. *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, v.280, no.2, pp.119-134. <https://doi.org/10.1127/hjgpa/2016/0569>
- McGowan, C., & R. Motani, 2003. *Ichthyopterygia*, in Sues, H.-D., ed., *Handbook of Paleoherpertology, Volume 8: München*, Verlag Dr. Friedrich Pfeil, p. 175.
- Motani, R., C. Ji, T. Tomita, N. Kelley, E.E. Maxwell, D.-Y. Jiang, & P.M. Sander, 2013. Absence of suction feeding ichthyosaurs and its implications for Triassic mesopelagic paleoecology. *PLoS ONE*, v.8, no.12, p.e66075. <https://doi.org/10.1371/journal.pone.0066075>
- Motani, R., D.-Y. Jiang, A. Tintori, O. Rieppel & G.-B. Chen, 2014. Terrestrial origin of viviparity in Mesozoic marine reptiles indicated by Early Triassic embryonic fossils. *PLoS ONE*, v.9, no.2, p.e88640. <https://doi.org/10.1371/journal.pone.0088640>
- Müller, J., 2005. The anatomy of *Askeptosaurus italicus* from the Middle Triassic of Monte San Giorgio and the interrelationships of thalattosaurs (*Reptilia, Diapsida*). *Canadian Journal of Earth Sciences*, v.42, no.7, pp.1347-1367. <https://doi.org/10.1139/e05-030>
- Nakajima, Y., & K. Izumi, 2014. Coprolites from the upper Osawa Formation (upper Spathian), northeastern Japan: Evidence for predation in a marine ecosystem 5 Myr after the end-Permian mass extinction. *Palaeogeography, palaeoclimatology, palaeoecology*, v414, pp.225-232. <https://doi.org/10.1016/j.palaeo.2014.08.014>
- Neenan, J.M., N. Klein, & T.M. Scheyer, 2013. European origin of placodont marine reptiles and the evolution of crushing dentition in Placodontia. *Nature Communications*, v.4, no.2284. <https://doi.org/10.1038/ncomms2633>
- Oosterink, H.W., 1978. *Arthropoda (geleedpotigen) uit de Onder-Muschelkalk van Winterswijk*. Grondboor & Hamer, v.32, no.1, pp.2-8. <http://natuurtijdschriften.nl/download?type=document&docid=405134>
- Oosterink, H.W., 1990. Problematische sporen in de Winterswijkse Muschelkalk. Grondboor & Hamer, v.44, no.2, pp.44-49. <http://natuurtijdschriften.nl/download?type=document&docid=405497>
- Oosterink, H.W., & W. Poppe, 1979. Vissen en visresten uit de Onder-Muschelkalk van Winterswijk. Grondboor & Hamer, v.33, no.3, pp.95-112. <http://natuurtijdschriften.nl/download?type=document;docid=405133>
- Oosterink, H.W., & G.H. Diepenbroek, 1990. Nieuwe vondsten uit de Winterswijkse Trias. Grondboor & Hamer, v.44, no.6, pp.150-154. <http://natuurtijdschriften.nl/download?type=document&docid=405529>
- Oosterink, H.W., W. Berkelder, C. De Jong, J. Lankamp, & H. Winkelhorst, 2003. Sauriërs uit de Onder-Muschelkalk van Winterswijk. Grondboor & Hamer, v.57 - *Staringia* 11, pp.1-146
- Rieppel, O., & K. Lin, 1995. *Pachypleurosaurus* (*Reptilia: Sauropterygia*) from the Lower Muschelkalk, and a review of the Pachypleurosauroida. *Fieldiana Geology n.s.*, v.32, pp.1-44. <https://doi.org/10.5962/bhl.title.3474>
- Rieppel, O., 2000. *Sauropterygia I*, in Wellnhofer, P., ed., *Encyclopedia of Paleoherpertology, Volume 12A*. Munich, Verlag Dr. Friedrich Pfeil, p. 134.
- Rieppel, O., 2019. *Mesozoic Sea Dragons: Triassic Marine Life from the Ancient Tropical Lagoon of Monte San Giorgio*, Indiana University Press. p.312. <https://doi.org/10.2307/j.ctvd58t86>
- Romano, C., M.B. Koot, I. Kogan, A. Brayard, A.V. Minikh, W. Brinkmann, H. Bucher, & J. Kriwet, 2016. Permian-Triassic Osteichthyes (bony fishes): diversity dynamics and body size evolution. *Biological Reviews*, v.91, no.1, pp. 106-147. <https://doi.org/10.1111/brv.12161>

- **Sahney, S., & M.J. Benton, 2008.** *Recovery from the most profound mass extinction of all time.* Proceedings of the Royal Society B Biological Sciences, v.275, n.1636, pp.759-765.
<https://doi.org/10.1098/rspb.2007.1370>
- **Sander, P.M., 1997.** *The paleobiogeography of Shastasaurus*, in Callaway, J. M., and Nicholls, E. L., eds., *Ancient Marine Reptiles*. San Diego, Academic Press, pp.17-43.
- **Sander, P.M., 2000.** *Ichthyosauria: their diversity, distribution, and phylogeny*. Paläontologische Zeitschrift, v.74, no.1/2, pp.1-36. <https://doi.org/10.1007/BF02987949>
- **Sander, P.M., N. Klein, P.C.H. Albers, C. Bickelmann, & H. Winkelhorst, 2014.** *Postcranial morphology of a basal Pistorosauroidea (Sauropterygia) from the Lower Muschelkalk of Winterswijk, The Netherlands*. Paläontologische Zeitschrift, v.88, no.1, pp.55-71.
<https://doi.org/10.1007/s12542-013-0181-5>
- **Scheyer, T.M., C. Romano, J. Jenks & H. Bucher, 2014.** *Early Triassic marine biotic recovery: the predators' perspective*. PLoS ONE, v.9, no.3, p.e88987.
<https://doi.org/10.1371/journal.pone.0088987>
- **Schulp, A.S., R.W. Bleeker, A. Haarhuis, E. van Spronsen, M.A.D. During, G. Goris, P. Kaskes, Y. Matteman, W. Winkelhorst, & H. Winkelhorst, 2017.** *A tetrapod swimming traceway from the Triassic of Winterswijk, the Netherlands*. Netherlands Journal of Geosciences, v.96, no.3, pp.273-277. <https://doi.org/10.1017/njg.2017.13>
- **Song, H., P.B. Wignall, & A.M. Dunhill, 2018.** *Decoupled taxonomic and ecological recoveries from the Permo-Triassic extinction*. Science Advances, v.4, no.10, p.eaat5091.
<https://doi.org/10.1126/sciadv.aat5091>
- **Stanley, S.M., 2009.** *Evidence from ammonoids and conodonts for multiple Early Triassic mass extinctions*. Proceedings of the National Academy of Sciences of the United States of America, v.106, no.36, pp.15264-15267. <https://doi.org/10.1073/pnas.0907992106>
- **Steneck, R.S., 2012.** *Apex predators and trophic cascades in large marine ecosystems: Learning from serendipity*. Proceedings of the National Academy of Sciences of the United States of America, v.109, no.21, pp.7953-7954. <https://doi.org/10.1073/pnas.1205591109>
- **Van Eldijk, T.J.B., G. Goris, A. Haarhuis, J. Lankamp, H. Winkelhorst, J.W.F. Reumer, A. Nel, & T. Wappler, 2017.** *New fossil insects from the Anisian (Lower to Middle Muschelkalk) from the Central European Basin (Germany and The Netherlands)*. Paläontologische Zeitschrift, v.91, no.2, pp.185-194. <https://doi.org/10.1007/s12542-017-0343-y>
- **Vermeij, G.J., 1977.** *The Mesozoic marine revolution: evidence from snails, predators and grazers*. Paleobiology, v.3, no.3, pp.245-258. <https://doi.org/10.1017/s0094837300005352>
- **Von Meyer, H., 1847-55.** *Die Saurier des Muschelkalkes mit Rücksicht auf die Saurier aus buntem Sandstein und Keuper*. Zur Fauna der Vorwelt, v.2, pp.1-167.
- **Wild, R., & H.W. Oosterink, 1984.** *Tanystropheus (Reptilia, Squamata) aus dem Unterem Muschelkalk von Winterswijk, Holland*. Grondboor & Hamer, v.38. no.5, pp.142-148.
<http://natuurtijdschriften.nl/download?type=document&docid=405258>

P.153 HOE HET BEGON: ONTDEKKING EN EERSTE GEBRUIK VAN DE KALKSTEEN

Willem Peletier

(Medeoprichter van de Afdeling Winterswijk van de Nederlandse Geologische vereniging.)

- **Peletier, W. en H.G. Kolstee, 1986.** *Winterswijk, Geologie deel I. Inleiding tot de geologie van Winterswijk*. Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging, v.175.
- **Rijksdienst Opsporing Delfstoffen**. De jaarverslagen 1906, 1907, 1908, 1909, 1910, 1911, 1912, 1913, 1914. *Eindverslag 1918. Supplement op het Eindverslag 1924*.
- **Staring, W.C.H., 1860**, *Natuurlijke historie van Nederland, Tweede deel, De bodem van Nederland II. Leemgronden van Eibergen en Winterswijk*, pp. 200-223. Haarlem. Archief familie Te Lintum.

P.156 ACADEMIC EXCAVATIONS

Martijn D. Guliker
(Naturalis Biodiversity Center)

- **Albers, P.C.H., & O. Rieppel, 2003.** *A new species of the sauropterygian genus Nothosaurus from the Lower Muschelkalk of Winterswijk, the Netherlands.* Journal of Paleontology, vol.77, no.4, pp.738-744. <https://doi.org/10.1017/s0022336000044462>
- **Bickelmann, C., & P.M. Sander, 2008.** *A partial skeleton and isolated humeri of Nothosaurus (Reptilia: Eosauropterygia) from Winterswijk, The Netherlands.* Journal of Vertebrate Paleontology, v.28. no.2, pp.326-338. [https://doi.org/10.1671/0272-4634\(2008\)28\[326:apsaih\]2.0.co;2](https://doi.org/10.1671/0272-4634(2008)28[326:apsaih]2.0.co;2)
- **Demathieu, G.R., & H.W. Oosterink, 1983.** *Die wirbeltier-ichnofauna aus dem unteren muschelkalk von winterswijk.* Staringia 7, pp.1-51.
<http://natuurtijdschriften.nl/download?type=document&docid=568119>
- **Dijk, J. van, 2019.** *Biodiversity and Nature.* In: The Netherlands and the Dutch. World Regional Geography Book Series. Springer, Cham.
- **During, M.A.D., D.F.A.E. Voeten, A.S. Schulp, & J.W.F. Reumer, 2017.** *A possible Pararcus diepenbroeki vertebra from the Vossenveld Formation (Triassic, Anisian), Winterswijk, the Netherlands.* Netherlands Journal of Geosciences, v.96, no.1, pp. 63-68.
<https://doi.org/10.1017/njg.2016.7>
- **Faber, F. J., 1958.** *Fossiele voetstappen in de Muschelkalk van Winterswijk.* Geologie en Mijnbouw, v.20, pp.317-321.
- **Hooijer, D.A., 1959.** *Records of nothosaurians from the Muschelkalk of Winterswijk, Netherlands.* Geologie en Mijnbouw, v.21, pp.37-39.
- **Klein, N., 2009.** *Skull morphology of Anarosaurus heterodontus (Reptilia: Sauropterygia: Pachypleurosauria) from the Lower Muschelkalk of the Germanic Basin (Winterswijk, the Netherlands).* Journal of Vertebrate Paleontology, v.29, no.3, pp.665-676.
<https://doi.org/10.1671/039.029.0327>
- **Klein, N., & P.C.H. Albers, 2009.** *A new species of the sauropsid reptile Nothosaurus from the Lower Muschelkalk of the western Germanic Basin, Winterswijk, The Netherlands.* Acta Palaeontologica Polonica, v.54, no.4, pp.589-598. <https://doi.org/10.4202/app.2008.0083>
- **Klein, N., 2012.** *Postcranial morphology and growth of the pachypleurosaur Anarosaurus heterodontus (Sauropterygia) from the Lower Muschelkalk of Winterswijk, The Netherlands.* Paläontologische Zeitschrift, v.86, no.4, p.389-408. <https://doi.org/10.1007/s12542-012-0137-1>
- **Neenan, J.M., N. Klein, & T.M. Scheyer, 2013.** *European origin of placodont marine reptiles and the evolution of crushing dentition in Placodontia.* Nature Communications, v.4, no.2284.
<https://doi.org/10.1038/ncomms2633>
- **Oosterink, H.W., 1986.** Winterswijk, Geologie Deel II. De Trias-periode (geologie, mineralen en fossielen). *Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging*, v.178, pp. 1-120.
- **Oosterink, H.W., W. Berkelder, C. De Jong, J. Lankamp, & H. Winkelhorst, 2003.** *Sauriërs uit de Onder-Muschelkalk van Winterswijk.* Grondboor & Hamer, v.57 - Staringia 11, pp.1-146.
- **Oosterink, H.W., 2008.** *Wetenschappelijk onderzoek naar het voorkomen van Vroeg-Triassische sauriërs in de Winterswijkse Muschelkalkgroeve.* Grondboor & Hamer, v.62, no.2, pp.30-32.
<http://natuurtijdschriften.nl/download?type=document;docid=568241>
- **Van Eldijk, T.J.B., G. Goris, A. Haarhuis, J. Lankamp, H. Winkelhorst, J.W.F. Reumer, A. Nel, & T. Wappler, 2017.** *New fossil insects from the Anisian (Lower to Middle Muschelkalk) from the Central European Basin (Germany and The Netherlands).* Paläontologische Zeitschrift, v.91, no.2, pp.185-194. <https://doi.org/10.1007/s12542-017-0343-y>

P.161 LIEFHEBBERS VAN DE STEENGROEVE; 25 JAAR GEZAMENLIJK DOOR DE MUSCHELKALK

Melanie A.D. During^{*1,2} & Jos Lankamp¹

¹Werkgroup Muschelkalk Winterswijk, Nederlandse Geologische Vereniging, Winterswijk

² Uppsala University, Uppsala, Zweden.

*Corresponderend auteur: palaeomelanie@gmail.com

- No declared references / geen referenties opgegeven.

P.165 THE WINTERSWIJK TRIASSIC WINDOW AND ITS SETTING - A HELICOPTER VIEW

G.J. Boekschoten¹ & M. van den Bosch²

(¹VU Amsterdam, ²Alterra)

- **Van den Bosch, M., & F. Brouwer, 2009.** Bodemkundig- geologische inventarisatie van de gemeente Winterswijk. Alterra rapport, 1797, 38 pp, 6 fig., 10 kaarten.

P.167 STRATIGRAPHY AND GEOCHEMISTRY OF THE VOSSENVELD FORMATION

Melanie A.D. During^{*1,2,4}, Jarmo Pietersen^{2,3}, Dennis F.A.E. Voeten^{1,2,6}, Mehrdad Sardar Abadi⁵, Suzan Verdegaal-Warmerdam², Anne S. Schulp^{1,6,7}, Jan Smit², John J.G. Reijmer^{2,8}, Jeroen (H) J.L. van der Lubbe^{1,2,9}

(¹ Workgroup Muschelkalk Winterswijk, Dutch Geological Association, Winterswijk, the Netherlands; ² Vrije Universiteit, Amsterdam, the Netherlands; ³ Wiertsema & Partners, Tolbert, the Netherlands; ⁴ Evolutionary Biology Center, Uppsala University, Uppsala, Sweden; ⁵ School of Geosciences, University of Oklahoma, Norman, United States of America; ⁶ Naturalis Biodiversity Center, Leiden, the Netherlands; ⁷ Utrecht University, Utrecht, the Netherlands; ⁸ King Fahd University of Petroleum & Minerals, College of Petroleum Engineering & Geosciences, Dharan, Saudi Arabia; ⁹ School of Earth and Ocean Sciences, Cardiff University, Cardiff, United Kingdom.

*Corresponding author: palaeomelanie@gmail.com)

- **Aigner, T., 1982.** *Calcareous tempestites: storm-dominated stratification in Upper Muschelkalk limestones (Middle Trias, SW-Germany) in Einsele, G., and Seilacher, A., eds., Cyclic and Event Stratification: Berlin - Heidelberg, Germany, Springer, pp.180-198.* https://doi.org/10.1007/978-3-642-75829-4_13

- **Aigner, T., 1985.** *An ancient storm depositional system: Dynamic stratigraphy of intracratonic carbonates, Upper Muschelkalk (Middle Triassic), South-German Basin.* Storm Depositional Systems: Dynamic Stratigraphy in Modern and Ancient Shallow-Marine Sequences, pp. 51-158. <https://doi.org/10.1007/bfb0011413>

- **Albers, P.C.H., & O. Rieppel, 2003.** *A new species of the sauropterygian genus Nothosaurus from the Lower Muschelkalk of Winterswijk, the Netherlands.* Journal of Paleontology, vol.77, no.4, pp.738-744. <https://doi.org/10.1017/s0022336000044462>

- **Albers, P.C.H., 2005.** *A placodontoid jaw fragment from the Lower Muschelkalk of Winterswijk (The Netherlands).* PalArch's Journal of Vertebrate Palaeontology, v.3, no.1, pp.1-7.

- **Bishop, J. W., D.A. Osleger, I.P. Montañez, & D.-Y. Sumner, 2014.** *Meteoric diagenesis and fluid-rock interaction in the Middle Permian Capitan backreef: Yates Formation, Slaughter Canyon, New Mexico.* AAPG bulletin, v.98, no.8, pp.1495-1519. <https://doi.org/10.1306/05201311158>

- **Borkhataria, R., T. Aigner, & K.J.C.P. Pipping, 2006.** *An unusual, muddy, epeiric carbonate reservoir: The Lower Muschelkalk (Middle Triassic) of the Netherlands.* AAPG bulletin, v.90, no.1, pp.61-89. <https://doi.org/10.1306/08030504124>

- **Calvet, F., M.E. Tucker, & J.M. Henton, 2009.** *Middle Triassic carbonate ramp systems in the Catalan Basin, northeast Spain: facies, systems tracts, sequences and controls.* Carbonate Platforms, pp.79–108. <https://doi.org/10.1002/9781444303834.ch4>

- **Clark, I.D., & P. Fritz, 1997.** *Environmental isotopes in hydrogeology.* CRC press, pp.111-134.

- **Craig, H., 1965.** The measurement of oxygen isotope paleotemperatures. *Stable isotopes in oceanographic studies and paleotemperatures: Consiglio Nazionale delle Richerche*, pp.161-182.
- **Dertien, B. K., & Dertien-te Voortwis, A. H., 1975.** Enige opmerkingen over fossielen uit de Muschelkalk van Winterswijk. Grondboor & Hamer, v.29, no.3, pp.92-96.
<http://natuurtijdschriften.nl/search?identifier=405045>
- **Diedrich, C.G., 2001.** Vertebrate track bed stratigraphy of the Röt and basal Lower Muschelkalk (Anisian) of Winterswijk (East Netherlands). *Netherlands Journal of Geosciences*, v.80, no2, pp.31-39. <https://doi.org/10.1017/s0016774600022290>
- **Dryden, A.L., & C. Dryden, 1946.** Comparative rates of weathering of some common heavy minerals. *Journal of Sedimentary Research*, v.16, no.3, pp.91-96.
- **Dülfer, O. & N. Klein, 2006.** Studentische Lehrgrabung im Winterswijker Muschelkalk. Der Präparator, v.52, pp.90-96.
- **Dupraz, C., R.P. Reid, O. Braissant, A.W. Decho, R.S. Norman, & P.T. Visscher, 2009,** Processes of carbonate precipitation in modern microbial mats. *Earth Science Reviews*, v.96, pp.141–162. <https://doi.org/10.1016/j.earscirev.2008.10.005>
- **During, M.A.D., D.F.A.E. Voeten, A.S. Schulp, & J.W.F. Reumer., 2017.** A possible Pararcus diepenbroeki vertebra from the Vossenveld Formation (Triassic, Anisian), Winterswijk, the Netherlands. *Netherlands Journal of Geosciences*, v.96, no.1, pp.63-68.
<https://doi.org/10.1017/njg.2016.7>
- **Feist-Burkhardt, S., A.E. Götz, K. Ruckwied, & J.W. Russell, 2008.** Palynofacies patterns, acritarch diversity and stable isotope signatures in the Lower Muschelkalk (Middle Triassic) of N Switzerland: evidence of third-order cyclicity. *Swiss Journal of Geosciences*, v.101, no.1, pp.1-15.
<https://doi.org/10.1007/s00015-007-1235-z>
- **Glunk, C., C. Dupraz, O. Braissant, K.L. Gallagher, E.P. Verrecchia, & P.T. Visscher, 2011,** Microbially mediated carbonate precipitation in a hypersaline lake, Big Pond (Eleuthera, Bahamas): *Sedimentology*, v.58, no.3, pp.720-738. <https://doi.org/10.1111/j.1365-3091.2010.01180.x>
- **Hagdorn, H., & O. Rieppel, 1999.** Stratigraphy of marine reptiles in the Triassic of Central Europe. *Zentralblatt für Geologie und Paläontologie, Teil I*, pp.651-678.
- **Hagdorn, H., & T. Simon, 2010.** Vossenveld-Formation. Litholex (Lithostratigraphische Einheiten Deutschlands) ID 45: pp. 1–6.
- **Hauschke, N., H.W. Oosterink, & V. Wilde, 2009.** Erster Nachweis eines Limuliden (Xiphosura, Limulacea) im Muschelkalk von Winterswijk (Niederlande). *Der Aufschluss*, v.60, pp.13-23.
- **Heier, K. S., & G.K. Billings, 1970.** Rubidium. In "Handbook of Geochemistry" (K. H. Wedepohle Ed.), Vol. II/2, Springer, Berlin/Heidelberg, 373 p.
- **Heijne, J., N. Klein, & P.M. Sander, 2019.** The uniquely diverse taphonomy of the marine reptile skeletons (Sauropterygia) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands. *Paläontologische Zeitschrift*, v.93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- **De Jager, J., & M.C. Geluk, 2007.** Petroleum geology, Geology of the Netherlands. Royal Netherlands Academy of Arts and Sciences (KNAW)(Amsterdam), pp.85-106.
- **James, N.P., & P.W. Choquette, 1984.** Diagenesis 9. Limestones-the meteoric diagenetic environment. *Geoscience Canada*, 11(4), pp.161-194. <https://doi.org/10.1029/SC004p0045>
- **Key, R.M., C.C. Johnson, M.S. Horstwood, D.J. Lapworth, K.V. Knights, S.J. Kemp, M. Watts, M., Gillespie, M., Adekanmi, & T. Arisekola, 2012.** Investigating high zircon concentrations in the fine fraction of stream sediments draining the Pan-African Dahomeyan Terrane in Nigeria. *Applied geochemistry*, v27, no.8, pp.1525-1539. <https://doi.org/10.1016/j.apgeochem.2012.04.009>
- **Klein, N., 2009.** Skull morphology of Anarosaurus heterodontus (Reptilia: Sauropterygia: Pachypleurosauria) from the Lower Muschelkalk of the Germanic Basin (Winterswijk, The Netherlands). *Journal of Vertebrate Paleontology*, v.29, no.3, pp.665-676.
<https://doi.org/10.1671/039.029.0327>

- Klein, N., & P.C.H. Albers, 2009. A new species of the sauropsid reptile *Nothosaurus* from the Lower Muschelkalk of the western Germanic Basin, Winterswijk, The Netherlands. *Acta Palaeontologica Polonica*, v.54, no.4, pp.589-598. <https://doi.org/10.4202/app.2008.0083>
- Klein, N., & T.M. Scheyer, 2014. A new placodont sauropterygian from the Middle Triassic of the Netherlands. *Acta Palaeontologica Polonica*, v.59, no.4, pp.887-903. <https://doi.org/10.4202/app.2012.0147>
- Klein, N., & O.J. Sichelschmidt, 2014. Remarkable dorsal ribs with distinct uncinate processes from the early Anisian of the Germanic Basin (Winterswijk, The Netherlands). *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, v.271, pp.307–314. <https://doi.org/10.1127/0077-7749/2014/0391>
- Klein, N., D.F.A.E. Voeten, J. Lankamp, R.W. Bleeker, O.J. Sichelschmidt, M. Liebrand, D.C. Nieweg, & P.M. Sander, 2015. Postcranial material of *Nothosaurus marchicus* from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands, with remarks on swimming styles and taphonomy. *Paläontologische Zeitschrift*, v.89, no 4, p 961-981. <https://doi.org/10.1007/s12542-015-0273-5>
- Klein, N., D.F.A.E. Voeten, A. Haarhuis, & R.W. Bleeker, 2016. The earliest record of the genus *Lariosaurus* from the early middle Anisian (Middle Triassic) of the Germanic Basin. *Journal of Vertebrate Paleontology*, v.36, no.4, p.e1163712. <https://doi.org/10.1080/02724634.2016.1163712>
- Korte, C., H.W. Kozur, & J. Veizer, 2005. $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ values of Triassic brachiopods and carbonate rocks as proxies for coeval seawater and palaeotemperature. *Palaeogeography, Palaeoclimatology, Palaeoecology*, v.226, no.3, pp.287-306. <https://doi.org/10.1016/j.palaeo.2005.05.018>
- Kozur, H.W., & G.W. Bachman, 2008. Updated correlation of the Germanic Triassic with the Tethyan scale and assigned numeric ages. *Berichte der Geologischen Bundesanstalt*, v76, pp.53-58.
- Lankamp, J., 2002. *Bijtsporen op een sauriërbot uit Winterswijk*. Grondboor & Hamer, v.56, pp.26-27. <http://natuurlijdschriften.nl/download?type=document&docid=406028>
- Lin, W.-B., D.-Y. Jiang, O. Rieppel, R. Motani, C. Ji, A. Tintori, Z.-Y. Sun, & M. Zhou, 2017. A new specimen of *Lariosaurus xingyiensis* (Reptilia, Sauropterygia) from the Ladinian (Middle Triassic) Zhuganpo Member, Falang Formation, Guizhou, China. *Journal of Vertebrate Paleontology*, v.37, no.2, p.e1278703. <https://doi.org/10.1080/02724634.2017.1278703>
- Machel, H.G., 2004. Concepts and models of dolomitization: a critical reappraisal. Geological Society, London, Special Publications, 235(1), pp.7-63. <https://doi.org/10.1144/gsl.sp.2004.235.01.02>
- Marchetti, L., H. Van der Donck, H. Van Hylckama Vlieg, & M.A.D. During, 2019. Leaving only trace fossils, the unknown visitors of Winterswijk. Grondboor & Hamer, v.73, no.5/6 - Staringia 16, pp. 250-257.
- Maxwell, E.E., H.J. Diependaal, H. Winkelhorst, G. Goris, & N. Klein, 2016. A new species of *Saurichthys* (*Actinopterygii: Saurichthyidae*) from the Middle Triassic of Winterswijk, The Netherlands. *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, v.280, no.2, pp.119-134. <https://doi.org/10.1127/njgpa/2016/0569>
- Milnes, A.R. & R.W. Fitzpatrick, 1989. Titanium and zirconium minerals. Minerals in soil environments, (*mineralsinsoil*), pp.1131-1205.
- Moore, C.H., 1989, Carbonate diagenesis and porosity. Amsterdam, Elsevier, Developments in Sedimentology, v.46, 338p.
- Moore, C.H., 2001, Carbonate reservoirs - Porosity evolution and diagenesis in a sequence-stratigraphic framework: Amsterdam, Elsevier, *Developments in Sedimentology*, v.55, 460p.
- Mursky, G.A., & R.M. Thompson, 1958. A specific gravity index for minerals. *The Canadian Mineralogist*, v.6, no.2, pp.273-287.
- Neenan, J.M., N. Klein, & T.M. Scheyer, 2013. European origin of placodont marine reptiles and the evolution of crushing dentition in Placodontia. *Nature Communications*, v.4, no.2284. <https://doi.org/10.1038/ncomms2633>

- Penn, J.L., C. Deutsch, J.L. Payne, & E.A. Sperling, 2018. Temperature-dependent hypoxia explains biogeography and severity of end-Permian marine mass extinction. *Science*, vol.362, no.6419, p.eaat1327. <https://doi.org/10.1126/science.aat1327>
- Pietersen, J., 2010. *Stratigraphy and sedimentology of the Middle Triassic Muschelkalk facies in the Winterswijk quarry, East Netherlands*. Unpublished BSc thesis VU University Amsterdam.
- Oosterink, H.W., 1986. *Winterswijk, Geologie Deel II. De Trias-periode (geologie, mineralen en fossielen)*. Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging, v.178, pp.1-120.
- Oosterink, H.W., 1993. *Geologische verschijnselen in de groeven van de Winterswijkse Muschelkalk*. Grondboor & Hamer, v.47, no.1-2, pp.31-35. <http://natuurtijdschriften.nl/download?type=document&docid=405618>
- Oosterink, H.W., & H. Winkelhorst, 2003. *Vondstmelding van gips: nieuw mineraal in Winterwijkse steengroeve*. Grondboor & Hamer, v.57, no.6, pp.116-117. <http://natuurtijdschriften.nl/download?type=document;docid=406086>
- Oosterink, H.W., W. Berkelder, C. de Jong, J. Lankamp, & H. Winkelhorst, 2003. *Sauriërs uit de Onder-Muschelkalk van Winterswijk*. Grondboor & Hamer, v.57 - *Staringia* 11, pp.1-146
- Oosterink, H.W., T. Simon, H. Hagdorn, & H. Winkelhorst, 2006. *A subrosion pipe fill in the Lower Muschelkalk, Winterswijk Quarry, Eastern Netherlands*. *Netherlands Journal of Geosciences*, v.85, no.4, pp.293-297. <https://doi.org/10.1017/s0016774600023088>
- Oosterink, H.W., & H. Winkelhorst, 2013. *Probable remains of jellyfish (Cnidaria, Scyphozoa) from the lower Middle Triassic (Anisian) of Winterswijk, eastern Netherlands*. *Netherlands Journal of Geosciences*, v.92, no.1, pp.61-67. <https://doi.org/10.1017/s0016774600000287>
- Rieppel, O., & K. Lin, 1995. *Pachypleurosaurs (Reptilia: Sauropterygia) from the Lower Muschelkalk, and a review of the Pachypleurosauroida*. *Fieldiana Geology*, v.32, no.1473, pp.1–44.
- Rieppel, O., 2000. *Sauropterygia I*, in Wellnhofer, P., ed., *Encyclopedia of Paleoherpetology*, Volume 12A. Munich, Verlag Dr. Friedrich Pfeil, p. 134..
- Riethdorf, J.-R., D. Nürnberg, L. Max, R. Tiedemann, S.A. Gorbarenko, & M.I. Malakhov, 2013. *Millennial-scale variability of marine productivity and terrigenous matter supply in the western Bering Sea over the past 180 kyr*. *Climate of the Past*, v.9, no.3, pp.1345-1373. <https://doi.org/10.5194/cp-9-1345-2013>
- Sander, P.M., N. Klein, P.C.H. Albers, C. Bickelmann, & H. Winkelhorst, 2014. *Postcranial morphology of a basal Pistorosauroidae (Sauropterygia) from the Lower Muschelkalk of Winterswijk, The Netherlands*. *Paläontologische Zeitschrift* v.88, no.1, pp.55-71. <https://doi.org/10.1007/s12542-013-0181-5>
- Schulp, A.S., R.W. Bleeker, A. Haarhuis, E. van Spronsen, M.A.D. During, G. Goris, P. Kaskes, Y. Matteman, W. Winkelhorst, & H. Winkelhorst, 2017. *A tetrapod swimming traceway from the Triassic of Winterswijk, the Netherlands*. *Netherlands Journal of Geosciences*, v.96, no.3, pp.273-277. <https://doi.org/10.1017/njg.2017.13>
- Spiekman, S.N.F., R.W. Bleeker, M. Dorst, R. De Haan, H. Winkelhorst, & D.F.A.E. Voeten, 2019. *Tanystropheids from the Winterswijkse Steengroeve – rare but recurring elements in the Vossenveld palaeoassemblage*. Grondboor & Hamer, v.73, no.5/6 - *Staringia* 16, pp.208-215.
- Szulc, J., 2000. *Middle Triassic evolution of the northern Peri-Tethys area as influenced by early opening of the Tethys Ocean*. In *Annales Societatis Geologorum Poloniae*, v.70, no.1, pp.1-48.
- Van Eldijk, T.J.B., G. Goris, A. Haarhuis, J. Lankamp, H. Winkelhorst, J.W.F. Reumer, A. Nel, & T. Wappler, 2017. *New fossil insects from the Anisian (Lower to Middle Muschelkalk) from the Central European Basin (Germany and The Netherlands)*. *Paläontologische Zeitschrift*, v.91, no.2, pp.185-194. <https://doi.org/10.1007/s12542-017-0343-y>
- Van Hinsbergen, L.P.P., D.J.J. Van Hinsbergen, C.G. Langereis, M.J. Dekkers, B. Zanderink, & M.H.L. Deenen, 2019. *Triassic (Anisian and Rhaetian) paleomagnetic poles from the Germanic Basin (Winterswijk, the Netherlands)*. *Journal of Palaeogeography*, v.8, no.1, pp.1-15. <https://doi.org/10.1186/s42501-019-0046-2>

- **Vasconcelos, C., J.A. McKenzie, R. Warthmann, & S.M. Bernasconi, 2005.** Calibration of the $\delta^{18}\text{O}$ paleothermometer for dolomite precipitated in microbial cultures and natural environments. *Geology*, v.33 no.4, pp.317-320. <https://doi.org/10.1130/g20992.1>
- **Voeten, D.F.A.E., 2007.** Chemostratigraphy of basal Muschelkalk strata in Winterswijk, the Netherlands, with palaeoenvironmental implications. Unpublished MSc research report, VU University Amsterdam.
- **Voeten, D.F.A.E., P.M. Sander, & N. Klein, 2015.** Skeletal material from larger Eusauropterygia (Reptilia: Eosauropterygia) with nothosaurian and cymatosaurian affinities from the Lower Muschelkalk of Winterswijk, The Netherlands. *Paläontologische Zeitschrift*, v.89 no.4, pp.943-960. <https://doi.org/10.1007/s12542-014-0250-4>
- **Wild, R., & H.W. Oosterink, 1984.** *Tanystropheus (Reptilia: Squamata) aus dem Unteren Muschelkalk von Winterswijk, Holland*. Grondboor & Hamer, v.38. no.5, pp.142-148. <http://natuurtijdschriften.nl/download?type=document&docid=405258>
- **Willemse, D.M., N.W. Willemse, & D.F.A.E. Voeten, 2019.** Aff. Eusaurosphargis vertebra and osteoderm associated with an isolated dentary from the Vossenveld Formation (early Anisian) of Winterswijk, the Netherlands. *Grondboor & Hamer*, v.73, no.5/6 - *Staringia* 16. pp.273-277.
- **Ziegler, P.A., 1999,** Evolution of the Arctic-North Atlantic and the western Tethys - A visual presentation of a series of palaeogeographic-palaeotectonic maps, AAPG Memoir 43, pp.164-196.

P.178 HET IS NIET AL GOUD WAT BLINKT

Willem Peletier

(Medeoprichter van de Afdeling Winterswijk van de Nederlandse Geologische vereniging.)

- **Johnsen, O., 2003.** Mineralen, *Veldgids no 18*, KNNV Uitgeverij, Utrecht.
- **Maertens, J., 1996.** *Winterswijk (NL)*, Geonieuws - Mineralogische Kring Antwerpen.
- **Peletier, W., & Oosterink, H.W., 1995.** *Een vindplaats van mineralen in Nederland: de Winterswijkse steengroeve*. Grondboor & Hamer, v.49, no.1, pp.1-5. <http://natuurtijdschriften.nl/download?type=document&docid=405688>
- **Pellant, C., 1993.** Mineralen en gesteenten, *Sesam Natuurhandboeken*, Bosch & Keuning, 256p.

P.185 NON-ARTHROPOD INVERTEBRATES FROM THE MIDDLE TRIASSIC MUSCHELKALK OF WINTERSWIJK

Timo J. B. van Eldijk¹, Rixt Heerschap², Adam Haarhuis³, Herman Winkelhorst⁴, Adiel A. Klompmaker⁵

(¹MARM-group, Groningen Institute for Evolutionary Life Sciences, University of Groningen, Nijenborgh 7, 9747 AG, Groningen, The Netherlands, T.J.B.van.Eldijk@rug.nl, ²Rixt Heerschap Art (www.rixtheerschap.com), Helper westsingel 16B 3, 9721 BE, Groningen, The Netherlands

³ Werkgroep Muschelkalk Winterswijk, Hennep 14, 7261 JK Ruurlo, The Netherlands, Ahaarhuis@gmail.com, ⁴ Werkgroep Muschelkalk Winterswijk, Molenstraat 14, 7122ZW, Aalten, The Netherlands, Hwinkelhorst@gmail.com, ⁵Department of Integrative Biology & Museum of Paleontology, University of California, Berkeley, 1005 Valley Life Sciences Building #3140, Berkeley, CA 94720, USA)

- **Akkerman, H., & E.W.A. Mulder, 2012.** Ammonieten uit het Trias. *Grondboor & Hamer*, v.66, no.1 - *Staringia* 13, pp.64-65. <http://natuurtijdschriften.nl/download?type=document&docid=568431>
- **Assman, P., 1915.** Die Brachiopoden und Lamellibranchiaten der oberschlesischen Trias. *Jarbuch der Preussischen Geologischen Landesanstalt*, v.34, pp.586-638.
- **Boekschoten, G.J., 1972.** Über einige Molluskenfunde im Wellenkalk von Winterswijk (Niederlande). *Geologie en Mijnbouw*, v.51, pp.574-575.
- **Bronn, H.G., 1837.** Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefacten-Kunde, Jahrgang 1837. E. Schweizerbart's Verlagshandlung, Stuttgart.

- Cadée, G.C., 2013. *Can Recent traces help in recognising probable jellyfish remains from the Muschelkalk of Winterswijk? A comment.* Netherlands Journal of Geosciences, v.92, no.4, pp.301-302. <https://doi.org/10.1017/s0016774600000226>
- Dertien, B.K., 1972. *Een ammoniet uit de Winterswijkse Muschelkalk.* Grondboor & Hamer, v.26, no.4, p132. <http://natuurtijdschriften.nl/download?type=document&docid=404973>
- Dertien, B.K., & A.H. Dertien-te Voortwis, 1975. *Enige opmerkingen over fossielen uit de Muschelkalk van Winterswijk.* Grondboor & Hamer, v.29, no.3, pp.92-96. <http://natuurtijdschriften.nl/download?type=document&docid=405045>
- De Sowerby J.C., & R.I. Murchison, 1839. *The Silurian System. Part 2. Organic Remains. The Silurian System 2:* pp.579-768. John Murray, London.
- Dunker, W., 1849. *Ueber die im Kasseler Muschelkalk bis jetzt gefundenen Molusken.* Theodor Fischer, Kassel.
- Escher, L., 1853. *Geologische Bemerkungen über das nordlische Vorarlberg und die angrenzenden Gebiete.* Nouvelle Memoir de la Société Helvétique Naturelle, v.13, pp.3-53.
- Estes-Smargiassi, K.A. & A.A. Klompmaker, 2015. *An enigmatic trace fossil from the Upper Triassic (Rhaetian) shales of Western Europe.* Netherlands Journal of Geosciences, v.94, no.3, pp.271-277. <https://doi.org/10.1017/njg.2015.15>
- Faber, F.J., 1966. *De Winterswijkse kalksteen.* Grondboor & Hamer, v.20, no.2 , 66-71. <http://natuurtijdschriften.nl/download?type=document;docid=404781>
- Giebel C., 1856. Fauna der Vorwelt mit steter Berücksichtigung der lebenden Thiere. *Monographisch dargestellt.* Brockhaus, Leipzig.
- Goldfuss, G.A., 1841. *Petrefacta Germaniae tam ea, quae in Museo Universitatis Regiae Borussicae Fridericiae Wilhelmiae Rhenanae Servantur quam alia Quaecunque in Museis Hoenighusiano Muensteriano Aliisque Extant, Iconibus et Descriptionibus Illustrata.* Arnz & Co., Düsseldorf.
- Hautmann, M., & H. Hagdorn, 2013. *Oysters and oyster-like bivalves from the Middle Triassic Muschelkalk of the Germanic Basin.* Paläontologische Zeitschrift, v.87, no.1, pp.19-32. <https://doi.org/10.1007/s12542-012-0144-2>
- Hagdorn, H., 1985. *Immigrations of crinoids into the German Muschelkalk Basin.* pp.237-254. In: Bayer U. & Seilacher, A. (eds.). *Sedimentary and evolutionary cycles.* Springer, Berlin/Heidelberg.
- Hagdorn, H., & T. Simon, 2010. Vossenveld-Formation. Litholex (Lithostratigraphische Einheiten Deutschlands) ID, 45, 1-6.
- Heijne, J., N. Klein, & P.M. Sander, 2019. *The uniquely diverse taphonomy of the marine reptile skeletons (Sauropterygia) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands.* Paläontologische Zeitschrift, v.93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- Herngreen, G.F.W., J.H.A. Van Konijnenburg-Van Cittert, & H.W. Oosterink, 2005a. *New geological data (Middle Triassic, Rhaetian-Liassic and Oligocene) of the Winterswijk quarry, the eastern Netherlands.* Netherlands Journal of Geosciences, v.84, no.4, pp.409-413. <https://doi.org/10.1017/s0016774600021223>
- Herngreen, G.F.W., J.H.A. Van Konijnenburg-Van Cittert, H.W. Oosterink, & R.W.J.M. Van der Ham, 2005b. *Nieuwe geologische, palynologische en paleobotanische gegevens (Muschelkalk, Rhaetien-Lias en Oligoceen) uit de steengroeven van Winterswijk.* Grondboor & Hamer, v.59, no.4, pp.84-97. <http://natuurtijdschriften.nl/download?type=document;docid=406150>
- Hohenstein, V., 1913. *Beiträge zur Kenntnis des Mittleren Muschelkalks und des unteren Trochitenkalks am östlichen Schwarzwaldrand.* Geologisch-paläontologische Abhandlungen, v.12, pp.173-272.
- Jensen, S., A.E.S. Höglström, J. Almond, W.L. Taylor, G. Meinhold, M. Hoyberget, J.O.R. Ebbestad, H. Agic, & T. Placios, 2018. *Scratch circles from the Ediacaran and Cambrian of Arctic Norway and southern Africa, with a review of scratch circle occurrences.* Bulletin of Geosciences, v.93, pp.287-304. <https://doi.org/10.3140/bull.geosci.1685>

- **Klompmaker, A.A., & B.J.H.M. Van den Berkmortel, 2007.** *Earliest Jurassic (Hettangian) psiloceratoid ammonites from a subrosion pipe at Winterswijk, the eastern Netherlands.* Netherlands Journal of Geosciences, v.86, no.4, pp.379-388.
<https://doi.org/10.1017/s0016774600023593>
- **Klompmaker, A.A., G.F.W. Herngreen, & H.W. Oosterink, 2010.** *Biostratigraphic correlation, paleoenvironment stress, and subrosion pipe collapse: Dutch Rhaetian shales uncover their secrets.* Facies v.56, no.4, pp.597-613. <https://doi.org/10.1007/s10347-010-0227-z>
- **Klompmaker, A.A., & R.H.B. Fraaije, 2011.** *The oldest (Middle Triassic, Anisian) lobsters from the Netherlands: taxonomy, taphonomy, paleoenvironment, and paleoecology.* Palaeontologia Electronica, v.14, no.1, pp.1-16. https://www.valencia.edu/~pardonmv/pe/2011_1/220/220.pdf
- **Klug, C., H. Hagdorn, & M. Montenari, 2005.** *Phosphatized soft-tissue in Triassic bivalves.* Palaeontology, v.48, no.4, pp.833-852. <https://doi.org/10.1111/j.1475-4983.2005.00485.x>
- **Knaust, D., 2015.** *Grazing traces (Kimberichnus teruzzii) on Middle Triassic microbial matground.* ICHNOLOGY: Papers from ICHNIA III: Geological Association of Canada, v.9, pp.115-125.
- **Moore, J., 2001.** An introduction to the invertebrates. Cambridge University Press, Cambridge.
- **Oosterink, H.W., 1981.** *De lamellibranchiaten uit de Winterswijkse Onder-Muschelkalk.* Grondboor & Hamer, v.35, no.2, pp.52-60.
<http://natuurtijdschriften.nl/download?type=document;docid=405181>
- **Oosterink, H.W., 1986.** *Winterswijk, Geologie Deel II. De Trias-periode (geologie, mineralen en fossielen).* Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging, v.178, pp.1-120.
- **Oosterink, H.W., 2008.** *De Winterswijkse Steengroeve, een aantrekkelijke vindplaats voor paleontologen en mineralogen.* GEA, v.41, no.4, pp.95-100.
<http://natuurtijdschriften.nl/download?type=document&docid=415475>
- **Oosterink, H.W., 2010.** *Lingularia (Brachiopoda) uit de Vossenveld-Formatie (Trias, Anisien) van Winterswijk.* Grondboor & Hamer, v.64, no.1, pp.30-32.
<http://natuurtijdschriften.nl/download?type=document;docid=568343>
- **Oosterink, H.W., 2012.** *Invertebrate fossils from the Lower Muschelkalk (Triassic, Anisian) of Winterswijk, The Netherlands.* Deposits, 32, pp.6-7.
- **Oosterink, H.W., & Winkelhorst, H., 2013.** *Probable remains of jellyfish (Cnidaria, Scyphozoa) from the lower Middle Triassic (Anisian) of Winterswijk, eastern Netherlands.* Netherlands Journal of Geosciences, v.92, no.1, pp.61-67. <https://doi.org/10.1017/s0016774600000287>
- **Passarge, S., 1891.** *Das Röth im östlichen Thüringen. Inaugural-Dissertation der philosophischen Fakultät zu Jena.* Gustav Fischer, Jena.
- **Portlock, J.E., 1843.** Report on the geology of the county of Londonderry, and of parts Sowerby and R. I. Murchison. 1839. *Master-General and Board of Ordnance.* A. Milliken, Dublin.
- **Quenstedt, F.A., 1856.** *Der Jura.* Verlag der H. Lauppschen Buchhandlung, Tübingen.
- **Renesto, S., G. Binelli, & H. Hagdorn, 2014.** *A new pachypleurosaur from the Middle Triassic Besano Formation of Northern Italy.* Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen, v.271, no.2, pp.151-168. <https://doi.org/10.1127/0077-7749/2014/0382>
- **Rieppel, O., 1995.** *The status of Anarosaurus multidentatus von Huene (Reptilia, Sauropterygia), from the lower Anisian of the Lechtaler Alps (Arlberg, Austria).* Paläontologische Zeitschrift, v.69, no.1-2, pp.289-299. <https://doi.org/10.1007/bf02985992>
- **Salomon, W., 1895.** *Geologische und palaeontologische Studien über die Marmolata.* Palaeontographica, v.42, no.1-3, pp.1-210.
- **Sýkora, M., M. Siblík, & J. Soták, 2011.** *Siliciclastics in the Upper Triassic dolomite formations of the Krížna Unit (Malá Tatra Mountains, Western Carpathians): constraints for the Carnian Pluvial Event in the Tatic Basin.* Geologica Carpathica, v.62, no.2, pp.121-138.
<https://doi.org/10.2478/v10096-011-0011-1>
- **Szulc, J., 2000.** *Middle Triassic evolution of the Northern Peri-Tethys area as influenced by early opening of the Tethys ocean.* Annales Societas Geologorum Poloniae, v.70, no.1, pp.1-48.

- Thuy, B., A.A. Klompmaker, & J.W.M. Jagt, 2012. Late Triassic (Rhaetian) ophiuroids from Winterswijk, the Netherlands; with comments on the systematic position of Aplocoma (Echinodermata, Ophiolepididae). *Zoosymposia*, v.7, no.1, pp.163-172.
<https://doi.org/10.11646/zoosymposia.7.1.15>
- Tjalkens, J., 1975. Nogmaals een 'Winterswijkse' ammoniet. Grondboor & Hamer, v.29, no. 6, p192. <http://natuurlijdschriften.nl/download?type=document;docid=405061>
- Van Eldijk, T.J.B., G. Goris, A. Haarhuis, J. Lankamp, H. Winkelhorst, J.W.F. Reumer, A. Nel, & T. Wappler, 2017. New fossil insects from the Anisian (Lower to Middle Muschelkalk) from the Central European Basin (Germany and The Netherlands). *Paläontologische Zeitschrift*, v.91, no.2, pp.185-194. <https://doi.org/10.1007/s12542-017-0343-y>
- Von Alberti, F.A., 1834. Beitrag zu einer Monographie des bunten Sandsteins, Muschelkalks und Keupers und die Verbindung dieser Gebilde zu einer Formation. *J. G. Cottaschen Buchhandlung, Stuttgart*.
- Von Alberti, F.A., 1864. Überblick über die Trias, mit Berücksichtigung ihres Vorkommens in den Alpen. *J. G. Cottaschen Buchhandlung, Stuttgart*.
- Von Münster, G., 1839. *Beschreibung einiger neuer Radiarien der Flöz-Formation*. Beiträge zur Petrefactenkunde, v.1, pp.85-90.
- Von Schlotheim, E.F., 1820. Die Petrefactenkunde auf ihrem jetzigen Standpunkte: durch die Beschreibung seiner Sammlung versteinerter & fossiler Überreste des Thier- und Pflanzenreiches der Vorwelt erläutert. *Text (Vol. 1)*. Becker, Gotha.
- Von Schlotheim, E. F., 1823. Die Petrefactenkunde auf ihrem jetzigen Standpunkte: durch die Beschreibung seiner Sammlung versteinerter und fossiler Überreste des Thier- und Pflanzenreichs der Vorwelt erläutert. *Nachträge (Vol. 2)*. Becker, Gotha.
- Von Seebach, K., 1862. Die Conchylien-Fauna der Weimarischen Trias, *Dissertation, Universität Göttingen*.
- Young, G.A., & J.W. Hagadorn, 2010. The fossil record of cnidarian medusae. *Palaeoworld*, v.19, no.3-4, pp.212-221. <https://doi.org/10.1016/j.palwor.2010.09.014>

P.191 MARINE ARTHROPODS FROM THE MIDDLE TRIASSIC OF WINTERSWIJK

Adiel A. Klompmaker
(Department of Integrative Biology & Museum of Paleontology, University of California, Berkeley, USA)

- Borkhataria, R., T. Aigner, & K.J.C.P. Pipping, 2006. An unusual, muddy, epeiric carbonate reservoir: The Lower Muschelkalk (Middle Triassic) of the Netherlands. *AAPG Bulletin* v.90, no.1, pp.61-89. <https://doi.org/10.1306/08030504124>
- Charbonnier, S., A. Garassino, G. Schweigert, & M. Simpson, 2013. A worldwide review of fossil and extant glypheid and litogastrid lobsters (Crustacea, Decapoda, Glypheoidea). *Mémoires du Muséum national d'Histoire naturelle, Tome 205*, pp.1-304.
- Crasquin, S., & M.-B. Forel, 2014. Ostracods (Crustacea) through Permian-Triassic events. *Earth-Science Reviews* v.137, pp.52-64. <https://doi.org/10.1016/j.earscirev.2013.01.006>
- Diedrich, C.G., 2011. Middle Triassic horseshoe crab reproduction areas on intertidal flats of Europe with evidence of predation by archosaurs. *Biological Journal of the Linnean Society* v.103, no.1, pp.76-105. <https://doi.org/10.1111/j.1095-8312.2011.01635.x>
- Dzik, J., 2008. Gill structure and relationships of the Triassic cycloid crustaceans. *Journal of Morphology* v.269, no.12, pp.1501-1519. <https://doi.org/10.1002/jmor.10663>
- Etter, W., 2014. A well-preserved isopod from the Middle Jurassic of southern Germany and implications for the isopod fossil record. *Palaeontology* v.57, no.5, pp.931-949. <https://doi.org/10.1111/pala.12095>

- **Feldmann, R.M., C.E. Schweitzer, S.-X. Hu, J. Huang, Q.-Y. Zhang, C.-Y. Zhou, W. Wen, T. Xie, & E.P. Maguire, 2017.** A new Middle Triassic (Anisian) cyclidan crustacean from the Luoping Biota, Yunnan Province, China: morphologic and phylogenetic insights. *Journal of Crustacean Biology* v.37, no.4, pp.406-412. <https://doi.org/10.1093/jcobi/rux052>
- **Foster, B.A., & J.S. Buckeridge, 1987.** Barnacle palaeontology. *Barnacle Biology. Crustacean Issues* v.5, pp.43-62.
- **Hauschke, N., H.W. Oosterink, & V. Wilde, 2009.** Erster Nachweis eines Limuliden (Xiphosura, Limulacea) im Muschelkalk von Winterswijk (Niederlande). *Der Aufschluss* v.60, pp.13-23.
- **Hegna, T.A., F.J. Vega, & K.A. González-Rodríguez, 2014.** First Mesozoic thylacocephalans (Arthropoda, ?Crustacea; Cretaceous) in the western hemisphere: new discoveries from the Muhi Quarry Lagerstätte. *Journal of Paleontology* v.88, no.3, pp.606-616. <https://doi.org/10.1666/13-131>
- **Henton, J.M., 1990.** Dolomitization and diagenesis of the lower Muschelkalk, Northeast Spain, Dissertation, Durham University.
- **Karasawa, H., C.E. Schweitzer, & R.M. Feldmann, 2013.** Phylogeny and systematics of extant and extinct lobsters. *Journal of Crustacean Biology* v.33, no.1, pp.78-123. <https://doi.org/10.1163/1937240x-00002111>
- **Klompmaker, A.A., 2011.** De oudste Nederlandse fossiele kreeften inclusief een nieuw geslacht. *GEA* v.44, no.2, pp.47-49. <http://natuurtijdschriften.nl/download?type=document&docid=472888>
- **Klompmaker, A.A. & R.H.B. Fraaije, 2011.** The oldest (Middle Triassic, Anisian) lobsters from the Netherlands: taxonomy, taphonomy, paleoenvironment, and paleoecology. *Palaeontologia Electronica* v.14, no.1, p.1-16. https://www.valencia.edu/~pardomv/pe/2011_1/220/220.pdf
- **Klompmaker, A.A., R.W. Portell, & M.G. Frick, 2017.** Comparative experimental taphonomy of eight marine arthropods indicates distinct differences in preservation potential. *Palaeontology* v.60, no.6, pp.773-794. <https://doi.org/10.1111/pala.12314>
- **Kowal-Linka, M., 2015.** Analysis of marrow cavity fillings as a tool to recognise diverse taphonomic histories of fossil reptile bones: Implications for the genesis of the Lower Muschelkalk marine bone-bearing bed (Middle Triassic, Źyglin, S Poland). *Palaeogeography, Palaeoclimatology, Palaeoecology* v.436, pp. 64-76. <https://doi.org/10.1016/j.palaeo.2015.06.040>
- **Lissenberg, T., & L.J. Witte, 1989.** Mikropaleontologisch onderzoek aan een kleimonster uit de steengroeve te Winterswijk. *Rijks Geologische Dienst, Paleontologie Mesozoicum (Foraminiferen en Ostracoden), Intern Rapport* v.497, pp.1-5.
- **Mijnen, S.W., 2017.** Age duration and depositional history of the Lower Muschelkalk of Winterswijk. *MSc thesis*, Utrecht University.
- **Mychko, E.V., & A.S. Alekseev, 2018.** Two new genera of Cyclida (Crustacea: Maxillopoda: Branchiura) from the Cisuralian (Lower Permian) of Southern Urals (Russia). *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen* v.289, no.1, pp.23-34. <https://doi.org/10.1127/njgpa/2018/0747>
- **Oosterink, H.W., 1978.** Arthropoda (Geleedpotigen) uit de Onder-Muschelkalk van Winterswijk. *Grondboor & Hamer* v.32, no.1, p.2-8. <http://natuurtijdschriften.nl/download?type=document;docid=405105>
- **Oosterink, H.W., 1979.** Arthropoda (Geleedpotigen) uit de Onder-Muschelkalk van Winterswijk (aanvulling). *Grondboor & Hamer* v33, no.3, pp.113-115. <http://natuurtijdschriften.nl/download?type=document&docid=405134>
- **Oosterink, H.W., 1981.** De lamellibranchiaten uit de Winterswijkse Onder-Muschelkalk. *Grondboor & Hamer* v.35, no.2, pp.52-60. <http://natuurtijdschriften.nl/download?type=document;docid=405181>.
- **Oosterink, H.W., 1986.** Winterswijk, Geologie Deel II. De Trias-periode (geologie, mineralen en fossielen). *Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging* v.178, pp.1-120.

- Oosterink, H.W., 2009. Vondst van een degenkrab (*Xiphosura, Limulacea*). Grondboor & Hamer v.63, no.5, pp.125-128.
<http://natuurtijdschriften.nl/download?type=document&docid=568322>
- Schauer, M., & T. Aigner, 1997. Cycle stacking pattern, diagenesis and reservoir geology of peritidal dolostones, Trigonodus-Dolomite, Upper Muschelkalk (Middle Triassic, SW-Germany). Facies v.37, no.1, pp.99-113. <https://doi.org/10.1007/bf02537373>
- Schram, F.R., R. Vonk, & C.H.J. Hof, 1997. Mazon Creek Cycloidea. Journal of Paleontology v.71, no.2, pp.261-284. <https://doi.org/10.1017/s0022336000039172>
- Schweitzer, C.E., R.M. Feldmann, & M.M. Schinker, 2019. A new species of *Cyclida* (Multicrustacea; Halicynidae) from the Triassic of The Netherlands. Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen v.293, no.1, pp.67-71. <https://doi.org/10.1127/njgpa/2019/0831>

P.195 THE INSECTS OF THE WINTERSWIJK MUSCHELKALK

Timo J. B. van Eldijk¹ & Torsten Wappler²

(¹MARM-group, Groningen Institute for Evolutionary Life Sciences, University of Groningen, Netherlands. ²Hessisches Landesmuseum Darmstadt, Friedensplatz 1, 64283 Darmstadt, Germany.)

- Grimaldi, D., & M.S. Engel, 2005. Evolution of the Insects. Cambridge University Press.
- Herngreen, G.F.W., J.H.A. Van Konijnenburg-Van Cittert, & H.W. Oosterink, 2005a. New geological data (Middle Triassic, Rhaetian-Liassic and Oligocene) of the Winterswijk quarry, the eastern Netherlands. Netherlands Journal of Geosciences, v.84, no.4, pp.409-413.
<https://doi.org/10.1017/s0016774600021223>
- Herngreen, G.F.W., J.H.A. Van Konijnenburg-Van Cittert, H.W. Oosterink & R.W.J.M. Van der Ham, 2005b. Nieuwe geologische, palynologische en paleobotanische gegevens (Muschelkalk, Rhaetien-Lias en Oligoceen) uit de steengroeven van Winterswijk. Grondboor & Hamer, v.59, no.4, pp.84-97. <http://natuurtijdschriften.nl/download?type=document;docid=406150>
- Misof, B., S. Liu, K. Meusemann, R.S. Peters, A. Donath, C. Mayer P. B. Frandsen, J. Ware, T. Flouri, R. G. Beutel, O. Niehuis, M. Petersen, F. Izquierdo-Carrasco, T. Wappler, J. Rust, A. J. Aberer, U. Aspöck, H. Aspöck, D. Bartel, A. Blanke, S. Berger, A. Böhm, T.R. Buckley, B. Calcott, J. Chen, F. Friedrich, M. Fukui, M. Fujita, C. Greve, P. Grobe, S. Gu, Y. Huang, L.S. Jermini, A.Y. Kawahara, L. Krogmann, M. Kubiak, R. Lanfear, H. Letsch, Y. Li, Z. Li, J. Li, H. Lu, R. Machida, Y. Mashimo, P. Kapli, D.D. McKenna, G. Meng, Y. Nakagaki, J. L. Navarrete-Heredia, M. Ott, Y. Ou, G. Pass, L. Podsiadlowski, H. Pohl, B. M. von Reumont, K. Schütte, K. Sekiya, S. Shimizu, A. Slipinski, A. Stamatakis, W. Song, X. Su, N. U. Szucsich, M. Tan, X. Tan, M. Tang, J. Tang, G. Timelthaler, S. Tomizuka, M. Trautwein, X. Tong, T. Uchifune, M. G. Walzl, B. M. Wiegmann, J. Wilbrandt, B. Wipfler, T. K. F. Wong, Q. Wu, G. Wu, Y. Xie, S. Yang, Q. Yang, D. K. Yeates, K. Yoshizawa, Q. Zhang, R.Zhang, W. Zhang, Y. Zhang3, J. Zhao, C. Zhou, L. Zhou, T. Ziesmann, S. Zou, Y.Li, X. Xu, Y. Zhang, H. Yang, J. Wang, J. Wang, K. M. Kjer, & X. Zhou, 2014. Phylogenomics resolves the timing and pattern of insect evolution. Science, v.346, no.6210, pp.763-767. DOI: 10.1126/science.1257570
- Oosterink, H.W., 1986. Winterswijk, Geologie Deel II. De Triasperiode (geologie, mineralen en fossielen). Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging, v.178, pp.1-120.
- Oosterink, H.W., 1987. Een insektenvleugel uit de Winterswijkse Muschelkalk. Grondboor & Hamer, v.41, no.6, pp.148-149.
<http://natuurtijdschriften.nl/download?type=document;docid=405344>
- Oosterink, H.W., 2012. Invertebrate fossils from the Lower Muschelkalk (Triassic, Anisian) of Winterswijk, The Netherlands. Deposits, v.32, pp.6-7.

- Van Eldijk, T.J.B., G. Goris, A. Haarhuis, J. Lankamp, H. Winkelhorst, J.W.F. Reumer, A. Nel, & T. Wappler, 2017. New fossil insects from the Anisian (Lower to Middle Muschelkalk) from the Central European Basin (Germany and The Netherlands). *Paläontologische Zeitschrift*, v.91, no.2, pp.185-194. <https://doi.org/10.1007/s12542-017-0343-y>
- Zheng, D., A. Nel, H. Wang, B. Wang, E.A. Jarzemowski, S.-C. Chang & H. Zhang, 2017. The first Late Triassic Chinese triadophlebiomorphan (Insecta: Odonatoptera): biogeographic implications. *Scientific Reports*, v.7, no.1476. <https://doi.org/10.1038/s41598-017-01710-7>

P.198 THE FISH FAUNA OF THE WINTERSWIJK VOSSENVELD FORMATION

Adam Haarhuis¹ & Henk J. Diependaal ^{1,2,3}

(¹Working Group Muschelkalk Winterswijk, ²Utrecht University, dept. of Geosciences, ³Natural History Museum, Rotterdam)

- Arratia, G., 2013. Morphology, taxonomy, and phylogeny of Triassic pholidophorid fishes (Actinopterygii, Teleostei). *Journal of Vertebrate Paleontology* v.33, Sup 1, pp. 1-138. <https://doi.org/10.1080/02724634.2013.835642>
- Betancur-R. R., R.E. Broughton, E.O. Wiley, K. Carpenter, J.A. López, C. Li, N.I. Holcroft, D. Arcila, M. Sanciangco, J.C. Cureton II, F. Zhang, T. Buser, M.A. Campbell, J.A. Ballesteros, A. Roa-Varon, S. Willis, W.C. Borden, T. Rowley, P.C. Reneau, D.J. Hough, G. Lu, T. Grande, G. Arratia, & G. Ortí, 2013. The Tree of Life and a New Classification of Bony Fishes. *PLOS Currents Tree of Life*. 10.1371/currents.tol.53ba26640df0ccae75bb165c8c26288.
- Friedman, M., 2015. Frontiers in palaeontology. The early evolution of ray-finned fishes. *Palaeontology*, v.58, no.2, pp.213–228. <https://doi.org/10.1111/pala.12150>
- López-Arbarello, A., T. Bürgin, H. Furrer, & R. Stockar, 2019. Taxonomy and phylogeny of Eosemionotus Stolley, 1920 (Neopterygii: Ginglymodi) from the Middle Triassic of Europe. *Palaeontologia Electronica* no.22.1.10A 1-64. <https://doi.org/10.26879/904>
- Maxwell, E.E., H.J. Diependaal, H. Winkelhorst, G. Goris, & N. Klein, 2016. A new species of Saurichthys (Actinopterygii: saurichthyidae) from the Middle Triassic of Winterswijk, The Netherlands. *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, v.280, no.2, pp.119-134. <https://doi.org/10.1127/njgpa/2016/0569>
- Mutter, R. J., 2002. Revision of the Triassic Family Colobodontidae (Sensu Andersson 1916 (Emended)) with a Tentative Assessment of Perleidiform Interrelationships. *Unpublished Ph.D. thesis* Universität Zürich, 335p.
- Mutter, R.J., 2004. The “perleidiform” family Colobodontidae: A review. in: Arratia, Gloria & Tintori, Andrea (eds.): Mesozoic Fishes 3 - Systematics, Paleoenvironments and Biodiversity. Verlag Dr. Friedrich Pfeil, München, Germany. pp.197-208.
- Oosterink, H.W., & W. Poppe, 1979. Vissen en visresten uit de Onder-Muschelkalk van Winterswijk. Grondboor & Hamer, v.33, no.3, pp.95-112. <http://natuurtijdschriften.nl/download?type=document;docid=405133>
- Oosterink, H.W., 1986. Winterswijk, Geologie Deel II. De Trias-periode (geologie, mineralen en fossielen). *Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging*, v.178, pp.1-120.
- Oosterink, H.W., & G.H. Diepenbroek, 1990. Nieuwe vondsten uit de Winterswijkse Trias. Grondboor & Hamer, v.44, no.6, pp.150-154. <http://natuurtijdschriften.nl/download?type=document&docid=405529>
- Oosterink, H.W., 2001. Rugvinstekels van Acrodus (kraakbeenvis) uit de Winterswijkse Onder-Muschelkalk. Grondboor & Hamer, v.55, no.4, pp.16-18. <http://natuurtijdschriften.nl/download?type=document&docid=405996>

- **Rieppel, O., 1985.** Die Triasfauna der Tessiner Kalkalpen XXV. Die Gattung *Saurichthys* (*Pisces, Actinopterygii*) aus der mittleren Trias des Monte San Giorgio, Kanton Tessin. In: Schweizerische Paläontologische Abhandlungen, v.108, Basel.
- **Rieppel, O., 2019.** Mesozoic sea dragons. Triassic marine life from the ancient tropical lagoon of Monte San Giorgio. *Indiana University Press*. 312p <https://doi.org/10.2307/j.ctvd58t86>
- **Schultze, H.P., 1996.** The scales of Mesozoic actinopterygians. In: Arratia, G. & Viohl, G. (eds.), *Mesozoic Fishes - Systematics and Paleoecology*. Verlag Dr. Friedrich Pfeil, München, Germany, v.6, pp.83-93.
- **Wijngaarden, C.L., H.J. Diependaal, & J.W.F. Reumer, 2019.** Eosemionotus (*Holostei, Macrosemiidae*) from the Anisian of Winterswijk, the Netherlands. Poster, EAVP 2019, Brussel. DOI: 10.13140/RG.2.2.13132.77444.

P.208 TANYSTROPHEIDS FROM THE WINTERSWIJK QUARRY – RARE BUT RECURRING ELEMENTS

Stephan N. F. Spiekman¹, Remco W. Bleeker², Marc Dorst², Richard de Haan², Herman Winkelhorst², Dennis F. A. E. Voeten^{2,3}

(¹Paläontologisches Institut und Museum der Universität Zürich, Karl-Schmid-Strasse 4, 8006 Zürich, Switzerland, ²Workgroup Muschelkalk Winterswijk, Dutch Geological Association, Winterswijk, the Netherlands, ³Naturalis Biodiversity Center, Leiden, the Netherlands.)

- **Avanzini, M., & S. Renesto, 2002.** A review of *Rhynchosauroides tirolicus* Abel, 1926 ichnospecies (Middle Triassic: Anisian-Ladinian) and some inferences on *Rhynchosauroides* trackmaker. *Rivista Italiana di Paleontologia e Stratigrafia (Research In Paleontology and Stratigraphy)* v.108, no.1, pp.51-66, <https://doi.org/10.13130/2039-4942/5453>
- **Bassani, F., 1886.** Sui fossili e sull'eta degli schisti bituminosi triasici di Besano in Lombardia. Atti Società Italiana di scienze naturali v29, pp.15-72.
- **De Oliveira, T.M., D. Oliveira, C.L. Schultz, L. Kerber, & F.L. Pinheiro, 2018.** Tanystropheid archosauromorphs in the Lower Triassic of Gondwana. *Acta Palaeontologica Polonica*, v.63, no.4, pp.713-723. <https://doi.org/10.4202/app.00489.2018>
- **Ezcurra, M.D., 2016.** The phylogenetic relationships of basal archosauromorphs, with an emphasis on the systematics of proterosuchian archosauriforms. *PeerJ* v.4, p.e1778. <https://doi.org/10.7717/peerj.1778>
- **Fraser, N.C., & O. Rieppel, 2006.** A New protorosaur (Diapsida) from the Upper Buntsandstein of the Black Forest, Germany. *Journal of Vertebrate Paleontology* v.26, no.4, pp.866-871. [https://doi.org/10.1671/0272-4634\(2006\)26\[866:anpdft\]2.0.co;2](https://doi.org/10.1671/0272-4634(2006)26[866:anpdft]2.0.co;2)
- **Gottmann-Quesada, A., & P.M. Sander, 2009.** A redescription of the early archosauromorph *Protorosaurus speneri* Meyer, 1832, and its phylogenetic relationships. *Palaeontographica Abteilung A*, v.287, no.4-6, pp.123-220. <https://doi.org/10.1127/pala/287/2009/123>
- **Gow, C.E., 1975.** The morphology and relationships of *Youngina capensis* Broom and *Prolacerta broomi* Parrington. *Palaeontologica Africana* v18, pp.89-131.
- **Heijne, J., N. Klein, & P.M. Sander, 2019.** The uniquely diverse taphonomy of the marine reptile skeletons (Sauropterygia) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands. *Paläontologische Zeitschrift* v.93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- **Von Huene, F., 1907-1908.** Die Dinosaurier der europäischen Triasformation. *Geologische und Palaeontologische Abhandlungen Supplement 1*, 419p.
- **Von Huene, F., 1931.** Über *Tanystropheus* und verwandte Formen. *Neues Jahrbuch für Geologie und Paläontologie, BB* v.67, pp.65-86.
- **Jaquier, V.P., N.C. Fraser, H. Furrer, & T.M. Scheyer, 2017.** Osteology of a New Specimen of *Macrocnemus* aff. *M. fuyuanensis* (Archosauromorpha, Protorosauria) from the Middle Triassic of Europe: Potential Implications for Species Recognition and Paleogeography of Tanystropheid Protorosaurs. *Frontiers in Earth Science*, v.5, no.91. <https://doi.org/10.3389/feart.2017.00091>

- Jaquier, V.P., & T.M. Scheyer, 2017. *Bone Histology of the Middle Triassic Long-Necked Reptiles Tanystropheus and Macrocnemus (Archosauromorpha, Protorosauria)*. Journal of Vertebrate Paleontology, v.37, no.2, p.e1296456. <https://doi.org/10.1080/02724634.2017.1296456>
- Li, C., O. Rieppel, & M.C. LaBarbera, 2004. *A Triassic aquatic protorosaur with an extremely long neck*. Science v.305, no.5692, p1931. <https://doi.org/10.1126/science.1100498>
- Liu, J., C.L. Organ, M.J. Benton, M.C. Brindley, & J.C. Aitchison, 2017. *Live birth in an archosauromorph reptile*. Nature communications v.8, no.114445. <https://doi.org/10.1038/ncomms14445>
- Lockley, M.G., 1998. *The vertebrate track record*. Nature v.396, no.6710, pp. 429-432. <https://doi.org/10.1038/24783>
- Menning, M. 2016. *Stratigraphische Tabelle von Deutschland*. Zeitschrift der Deutschen Gesellschaft für Geowissenschaften. V.169, no.2, pp.105-128. <https://doi.org/10.1127/zdgg/2018/0161>
- Von Meyer, H., 1855. *Die Saurier des Muschelkalkes mit Rücksicht auf die Saurier aus buntem Sandstein und Keuper*. Zur Fauna der Vorwelt, zweite Abtheilung. H. Keller. Frankfurt a.m.
- Modesto, S.P., & H.-D. Sues, 2004. *The skull of the Early Triassic archosauromorph reptile Prolacerta broomi and its phylogenetic significance*. Zoological Journal of the Linnean Society, v.140, no.3, pp.335-351. <https://doi.org/10.1111/j.1096-3642.2003.00102.x>
- Nopsca, F.B., 1923. *Neubeschreibung des Trias-Pterosauriers Tribelesodon*. Paläontologische Zeitschrift v.5, no.3, pp.161-181.
- Nosotti, S., 2007. *Tanystropheus longobardicus (Reptilia, Protorosauria): Re-interpretations of the anatomy based on new specimens from the Middle Triassic of Besano (Lombardy, northern Italy)*. Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano v.35, pp.1-88.
- Olsen, P.E., 1979. *A new aquatic eosuchian from the Newark Supergroup (Late Triassic-Early Jurassic) of North Carolina and Virginia*. Postilla v.176, pp.1-14.
- Oosterink, H.W., 1986. *Winterswijk, Geologie Deel II. De Trias-periode (geologie, mineralen en fossielen)*. Wetenschappelijke Mededeling van de Koninklijke Nederlandse Natuurhistorische Vereniging v.178, pp.1-120.
- Oosterink, H.W., W. Berkelder, C. De Jong, J. Lankamp, & H. Winkelhorst, 2003. *Sauriërs uit de Onder-Muschelkalk van Winterswijk*. Grondboor & Hamer, v.57 - Staringia 11, pp.1-146.
- Oosterink, H.W., & H. Winkelhorst, 2013. *Probable remains of jellyfish (Cnidaria, Scyphozoa) from the lower Middle Triassic (Anisian) of Winterswijk, eastern Netherlands*. Netherlands Journal of Geosciences v.92, no.1, pp.61-67. <https://doi.org/10.1017/s0016774600000287>
- Ortlam, D., 1966. *Fossile Böden als Leithorizonte für die Gliederung des Höheren Buntsandsteins im nördlichen Schwarzwald und südlichen Odenwald*. Geologisches Jahrbuch v.84, pp.485-590.
- Peyer, B., 1931. *Die Triasfauna der Tessiner Kalkalpen II. Tanystropheus longobardicus Bass. sp.* Abhandlungen der Schweizerischen Paläontologischen Gesellschaft v.50, pp.9-110.
- Peyer, B., 1937. *Die Triasfauna der Tessiner Kalkalpen XII. Macrocnemus bassanii Nopsca*. Abhandlungen der Schweizerischen Paläontologischen Gesellschaft v.54, pp.1-87.
- Pritchard, A.C., A.H. Turner, S.J. Nesbitt, R.B. Irmis, & N.D. Smith, 2015. *Late Triassic tanystropheids (Reptilia, Archosauromorpha) from Northern New Mexico (Petrified Forest Member, Chinle Formation) and the biogeography, functional morphology, and evolution of Tanystropheidae*. Journal of Vertebrate Paleontology, v.35, no.2, p.e911186. <https://doi.org/10.1080/02724634.2014.911186>
- Renesto, S., 1994. *A new prolacertiform reptile from the Late Triassic of Northern Italy*. Rivista Italiana di Paleontologia e Stratigrafia v.100, no.2, pp.285-306. <https://doi.org/10.13130/2039-4942/8615>
- Renesto, S., & F.M. Dalla Vecchia, 2000. *The unusual dentition and feeding habits of the prolacertiform reptile Langobardisaurus (Late Triassic, Northern Italy)*. Journal of Vertebrate Paleontology v.20, no.3, pp.622-627. [https://doi.org/10.1671/0272-4634\(2000\)020\[0622:tudafh\]2.0.co;2](https://doi.org/10.1671/0272-4634(2000)020[0622:tudafh]2.0.co;2)

- Rieppel, O., 2001. A new species of *Tanystropheus* (*Reptilia: Protorosauria*) from the Middle Triassic of Makhtesh Ramon, Israel. Neues Jahrbuch für Geologie und Paläontologie Abhandlungen v.221, no.2, pp.271-287.
- Rieppel, O., C. Li & N.C. Fraser, 2008. The skeletal anatomy of the Triassic protorosaur *Dinocephalosaurus orientalis*, from the Middle Triassic of Guizhou Province, southern China. Journal of Vertebrate Paleontology v.28, no.1, pp.95-110.
[https://doi.org/10.1671/0272-4634\(2008\)28\[95:tsaott\]2.0.co;2](https://doi.org/10.1671/0272-4634(2008)28[95:tsaott]2.0.co;2)
- Rieppel, O., D.-Y. Jiang, N.C. Fraser, W.-C. Hao, R. Motani, Y.-L. Sun & Z.-Y. Sun, 2010. *Tanystropheus cf. T. longobardicus* from the early Late Triassic of Guizhou Province, southwestern China. Journal of Vertebrate Paleontology. v.30, no.4 pp.1082-1089.
<https://doi.org/10.1080/02724634.2010.483548>
- Sander, P.M., N. Klein, P.C.H. Albers, C. Bickelmann, & H. Winkelhorst, 2014. Postcranial morphology of a basal *Pistosauroidea* (*Sauroptrygia*) from the Lower Muschelkalk of Winterswijk, The Netherlands. Paläontologische Zeitschrift, v.88, no.1, pp.55-71.
<https://doi.org/10.1007/s12542-013-0181-5>
- Sennikov, A.G., 2011. New tanystropheids (*Reptilia: Archosauromorpha*) from the Triassic of Europe. Paleontological Journa, v.45, no.1, pp.90-104. <https://doi.org/10.1134/s0031030111010151>
- Skawiński, T., M. Ziegler, Ł. Czepiński, M. Szermański, M. Tałanda, D. Surmik, & G. Niedźwiedzki, 2017. A re-evaluation of the historical 'dinosaur' remains from the Middle-Upper Triassic of Poland. Historical Biology, v.29, no.4, pp.442-472. <https://doi.org/10.1080/08912963.2016.1188385>
- Spiekman, S.N., 2018. A new specimen of *Prolacerta broomi* from the lower Fremouw Formation (Early Triassic) of Antarctica, its biogeographical implications and a taxonomic revision. Scientific Reports v.8, no.1, p.17996. <https://doi.org/10.1038/s41598-018-36499-6>
- Stockar, R., 2010. Facies, depositional environment, and palaeoecology of the Middle Triassic Cassina beds (Meride Limestone, Monte San Giorgio, Switzerland). Swiss Journal of Geosciences, v.103, no.1, pp.101-119. <https://doi.org/10.1007/s00015-010-0008-2>
- Tschanz, K., 1986. Funktionelle Anatomie der Halswirbelsäule von *Tanystropheus longobardicus* (Bassani) aus der Trias (Anis/Ladin) des Monte San Giorgio (Tessin) auf der Basis vergleichend morphologischer Untersuchungen an der Halsmuskulatur rezenter Echsen. PhD thesis Universität Zürich.
- Wild, R., 1973. Die Triasfauna der Tessiner Kalkalpen XXII. *Tanystropheus longobardicus* (Bassani) (Neue Ergebnisse). Schweizerische Paläontologische Abhandlungen v.95, 162p.
- Wild, R., 1980a. Neue Funde von *Tanystropheus* (*Reptilia, Squamata*). Schweizerische Paläontologische Abhandlungen v.102, pp.1-31.
- Wild, R., 1980b. *Tanystropheus* (*Reptilia : Squamata*) and its importance for stratigraphy. Mémoires de la Société Géologique de France, Nouvelle Serie, v.139, pp.201-206.
- Wild, R., 1987. An example of biological reasons for extinction: *Tanystropheus* (*Reptilia, Squamata*). Mémoires de la Société Géologique de France, Nouvelle Serie, v.150, pp.37-44.
- Wild, R., & H.W. Oosterink, 1984. *Tanystropheus* (*Reptilia: Squamata*) aus dem Unteren Muschelkalk von Winterswijk, Holland. Grondboor & Hamer v.38, no.5, pp.142-148.
<http://natuurtijdschriften.nl/download?type=document&docid=405258>

P.216 WITH PLATES AND SPIKES – THE HEAVILY ARMOURED EUSAUROSPHARGIS AFF. DALASSOII

Torsten M. Scheyer¹, Nicole Klein², Oliver J. Sichelschmidt³, James M. Neenan⁴, Paul C.H. Albers⁵
¹Universität Zürich, Paläontologisches Institut und Museum, Karl Schmid-Strasse 4, 8006 Zurich, Switzerland, ²Institut für Geowissenschaften, Abteilung Paläontologie, Nussallee 8, 53115 Bonn, Germany, ³Uhlweg 10, 51429 Bergisch Gladbach, Germany, ⁴Oxford University Museum of Natural History, Parks Road, Oxford OX1 3PW, UK, ⁵Naturalis Biodiversity Center, Vondellaan 55, 2332 AA Leiden, The Netherlands.)

- **Cheng, L., X. Chen, X. Zeng, & Y. Cai, 2012.** A new eosaurophterygian (*Diapsida: Sauropterygia*) from the Middle Triassic of Luoping, Yunnan Province. *Journal of Earth Science* v.23, no.1, pp.33-40. <https://doi.org/10.1007/s12583-012-0231-z>
- **Cheng, Y.-N., X.-C Wu, T. Sato, & H.-Y Shan, 2016.** Dawazisaurus brevis, a new eosaurophterygian from the Middle Triassic of Yunnan, China. *Acta Geologica Sinica* v.90, no.2, pp.401-424. <https://doi.org/10.1111/1755-6724.12680>
- **Diedrich, C.G., & E. Gradinaru, 2013.** Distribution of basal Middle Triassic fossil reptile placodonts in the Germanic Basin and Northern Tethys. *The Triassic System. New Mexico Museum of Natural History and Science, Bulletin* 61, pp. 216-227.
- **Drevermann, F., 1933.** Die Placodontier. 3. Das Skelett von *Placodus gigas* Agassiz im Senckenberg-Museum. *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft*, v.38, pp.319-364.
- **Jiang, D.-Y., R. Motani, W.-C. Hao, O. Rieppel, Y.-L. Sun, L. Schmitz, & Z.-Y. Sun, 2008.** First record of *Placodontoidea* (*Reptilia, Sauropterygia, Placodontia*) from the Eastern Tethys. *Journal of Vertebrate Paleontology*, v.28, no.3, pp.904-908. [https://doi.org/10.1671/0272-4634\(2008\)28\[904:foprs\]2.0.co;2](https://doi.org/10.1671/0272-4634(2008)28[904:foprs]2.0.co;2)
- **Klein, N., & O.J. Sichelschmidt, 2014.** Remarkable dorsal ribs with distinct uncinate processes from the early Anisian of the Germanic Basin (Winterswijk, The Netherlands). *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, v.271, no.3 pp.307–314. <https://doi.org/10.1127/0077-7749/2014/0391>
- **Kuhn-Schnyder, E., 1942.** Über einen weiteren Fund von *Paraplagodus broili* Peyer aus der Trias des Monte San Giorgio. *Eclogae geologicae Helvetiae*, v.35, no.2, pp.174-183.
- **Li, C., D.-Y. Jiang, L. Cheng, X.-C Wu, & O. Rieppel, 2014.** A new species of *Largocephalosaurus* (*Diapsida: Saurosphargidae*), with implications for the morphological diversity and phylogeny of the group. *Geological Magazine*, v.151, no.1, pp.100-120. <https://doi.org/10.1017/s001675681300023x>
- **Li, C., O. Rieppel, X.-C. Wu, L.-J. Zhao, & L.-T. Wang, 2011.** A new Triassic marine reptile from southwestern China. *Journal of Vertebrate Paleontology*, v.31, no.2, pp.303-312. <https://doi.org/10.1080/02724634.2011.550368>
- **Neenan, J.M., N. Klein, & T.M. Scheyer, 2013.** European origin of placodont marine reptiles and the evolution of crushing dentition in *Placodontia*. *Nature Communications* v.4, no.2284. <https://doi.org/10.1038/ncomms2633>
- **Nosotti, S., & O. Rieppel, 2003.** *Eusaurosphargis dalsassoi* n. gen. n. sp., a new, unusual diapsid reptile from the Middle Triassic of Besano (Lombardy, N Italy). *Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano*, v.31, no.3, pp.3-33.
- **Oosterink, H.W., W. Berkelder, C. de Jong, J. Lankamp, & H. Winkelhorst, 2003.** Sauriërs uit de onder-muschelkalk van Winterswijk. *Grondboor & Hamer*, v.57 - *Staringia* 11, pp.1-146.
- **Peyer, B., 1931.** *Paraplagodus broili* nov. gen. nov. sp., ein neuer Placodontier aus der Tessiner Trias. *Centralblatt für Mineralogie, Geologie und Paläontologie B*, v.10, pp.570-573.
- **Rieppel, O., 2000.** Paraplagodus and the phylogeny of the *Placodontia* (*Reptilia: Sauropterygia*). *Zoological Journal of the Linnean Society*, v.130, no.4, pp.635-659. <https://doi.org/10.1111/j.1096-3642.2000.tb02204.x>
- **Sander, P.M., N. Klein, P.C.H. Albers, C. Bickelmann, & H. Winkelhorst, 2014.** Postcranial morphology of a basal *Pistosauroidea* (*Sauropterygia*) from the Lower Muschelkalk of Winterswijk, The Netherlands. *Paläontologische Zeitschrift*, v.88, no.1, pp.55-71. <https://doi.org/10.1007/s12542-013-0181-5>
- **Scheyer, T.M., 2010.** New interpretation of the postcranial skeleton and overall body shape of the placodont *Cyamodus hildegardis* Peyer, 1931 (*Reptilia, Sauropterygia*). *Palaeontologia Electronica*, v.13, no.2, pp.1-16, http://palaeo-electronica.org/2010_2/232/index.html

- Scheyer, T.M., J.M. Neenan, T. Bodogan, H. Furrer, C. Obrist, & M. Plamondon, 2017. A new, exceptionally preserved juvenile specimen of Eusaurosphargis dalsassoi (*Diapsida*) and implications for Mesozoic marine diapsid phylogeny. *Scientific Reports*, v.7, no.4406, <https://doi.org/10.1038/s41598-017-04514-x>
- Von Huene, F., 1936. *Henodus chelyops, ein neuer Placodontier*. *Palaeontographica, Abteilung A*, v.84, pp.99-147.

P.222 THE IMPORTANCE OF WINTERSWIJK FOR UNDERSTANDING PLACODONTIFORM EVOLUTION

James M. Neenan^{1*}, Melanie A.D. During², Torsten M. Scheyer³

(¹ Oxford University Museum of Natural History, Parks Road, Oxford, OX1 3PW, UK., ² Uppsala University, Norbyvägen 18A, 752 36 Uppsala, Sweden, ³ University of Zurich, Palaeontological Institute and Museum, Karl-Schmid-Strasse 4, 8006 Zurich, Switzerland.)

- Albers, P.C.H., 2005. A placodontoid jaw fragment from the Lower Muschelkalk of Winterswijk (The Netherlands). *PalArch's journal for vertebrate palaeontology* v.3, no.1, pp.1-7.
- Crofts, S.B., J.M. Neenan, T.M. Scheyer, & A.P. Summers, 2017. Tooth occlusal morphology in the durophagous marine reptiles, *Placodontia* (*Reptilia: Sauropterygia*). *Paleobiology*, v.43, no.1, pp. 114-128. <https://doi.org/10.1017/pab.2016.27>
- de Miguel Chaves, C., F. Ortega, & A. Pérez-García, 2018. A new placodont from the Upper Triassic of Spain provides new insights on the acquisition of the specialized skull of Henodontidae. *Papers in Palaeontology*, vol.4, no.4, pp.567-576. <https://doi.org/10.1002/spp2.1218>
- During, M.A.D., D.F.A.E. Voeten, A.S. Schulp, & J.W.F. Reumer, 2017. A possible Pararcus diepenbroeki vertebra from the Vossenveld Formation (Triassic, Anisian), Winterswijk, the Netherlands. *Netherlands Journal of Geosciences*, v.96, no.1, pp.63-68. <https://doi.org/10.1017/njg.2016.7>
- Jiang, D.-Y., R. Motani, W.-C. Hao, O. Rieppel, Y.L. Sun, L. Schmitz, & Z.-Y. Sun, 2008. First record of *Placodontoidea* (*Reptilia, Sauropterygia, Placodontia*) from the Eastern Tethys. *Journal of Vertebrate Paleontology*, v.28, no.3, pp.904-908. [https://doi.org/10.1671/0272-4634\(2008\)28\[904:froprs\]2.0.co;2](https://doi.org/10.1671/0272-4634(2008)28[904:froprs]2.0.co;2)
- Klein, N., & T.M. Scheyer, 2014. A new placodont sauropterygian from the Middle Triassic of the Netherlands. *Acta Palaeontologica Polonica*, v.59, no.4, pp.887-903. <https://doi.org/10.4202/app.2012.0147>
- Neenan, J.M., N. Klein, & T.M. Scheyer, 2013. European origin of placodont marine reptiles and the evolution of crushing dentition in *Placodontia*. *Nature Communications*, v.4, no.2284. <https://doi.org/10.1038/ncomms2633>
- Neenan, J.M., C. Li, O. Rieppel, F. Bernardini, C. Tuniz, G. Muscio, & T.M. Scheyer, 2014. Unique method of tooth replacement in durophagous placodont marine reptiles, with new data on the dentition of Chinese taxa. *Journal of Anatomy*, v.224, no.5, pp.603-613. <https://doi.org/10.1111/joa.12162>
- Neenan, J.M., C. Li, O. Rieppel, & T.M. Scheyer, 2015. The cranial anatomy of Chinese placodonts and the phylogeny of *Placodontia* (*Diapsida: Sauropterygia*). *Zoological Journal of the Linnean Society*, v.175, no.2, pp.415-428. <https://doi.org/10.1111/zoj.12277>
- Oosterink, H.W., 1978. Enkele restanten van het reptiel *Placodus* uit de Winterswijkse Muschelkalk. *Grondboor & Hamer* v.32, no.6, pp.175-179. <http://natuurtijdschriften.nl/download?type=document;docid=405123>
- Oosterink, H.W., W. Berkelder, C. de Jong, J. Lankamp, & H. Winkelhorst, 2003. Sauriërs uit de onder-muschelkalk van Winterswijk. *Grondboor & Hamer*, v.57 - *Staringia* 11, pp.1-146.
- Rieppel, O., 1995. The genus *Placodus*: systematics, morphology, paleobiogeography, and paleobiology. *Fieldiana: Geology, New Series*, v.31, no.1472, pp.1-44.

- **Rieppel, O., 2000a.** Paraplagodus and the phylogeny of the Placodontia (Reptilia: Sauropterygia). Zoological Journal of the Linnean Society, v.130, no.4, pp.635-659. <https://doi.org/10.1111/j.1096-3642.2000.tb02204.x>
- **Rieppel, O., 2000b.** Sauropterygia I, in Wellnhofer, P., ed., Encyclopedia of Paleoherpetology, Volume 12A. Munich, Verlag Dr. Friedrich Pfeil, 134p.
- **Rieppel, O., 2002.** The dermal armor of the cyamodontoid placodonts (Reptilia, Sauropterygia): morphology and systematic value. Fieldiana: Geology, New Series v.46, no.1517, pp.1-41.

P.226 ANAROSAURUS HETERODONTUS - THE LEAST AQUATIC PACHYPLEUROSAUR

Nicole Klein¹ and P. Martin Sander¹

(¹Abteilung Paläontologie, Institut für Geowissenschaften, Universität Bonn, Germany.)

- **Beardmore, S.R., & H. Furrer, 2016.** Preservation of Pachypleurosauridae (Reptilia; Sauropterygia) from the Middle Triassic of Monte San Giorgio, Switzerland. Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen v.280, no.2, pp.221–240. <https://doi.org/10.1127/njgpa/2016/0578>
- **Benton, M.J., Q.-Y. Zhang, S.-X. Hu, Z.-Q. Chen, W. Wen, J. Liu, J.-Y. Huang, C.-Y. Zhou, T. Xie, J. Tong, & B. Choo, 2014.** Exceptional vertebrate biotas from the Triassic of China, and the expansion of marine ecosystems after the Permo-Triassic mass extinction. Earth-Science Reviews, v.137, pp.85–128. <https://doi.org/10.1016/j.earscirev.2014.08.004>
- **Carroll, R., & P. Gaskill, 1985.** The nothosaur Pachypleurosaurus and the origin of plesiosaurs. Philosophical Transactions of the Royal Society of London, Biological sciences, v.309, no.1139, pp. 343–393. <https://doi.org/10.1098/rstb.1985.0091>
- **Čerňanský, A., N. Klein, J. Soták, M. Olšavský, J. Šurka, & P. Herich, 2018.** A Middle Triassic pachypleurosaur (Diapsida: Eosauropterygia) from a restricted carbonate ramp in the Western Carpathians (Gutenstein Formation, Fatic Unit): paleogeographic implications. Geologica Carpathica, v.69, no.1, pp.3–16. <https://doi.org/10.1515/geoca-2018-0001>
- **Cheng, Y.-N., X.-C. Wu & Q. Ji, 2004.** Triassic marine reptiles gave birth to live young. Nature, v.432, no.7015, pp.383–386. <https://doi.org/10.1038/nature03050>
- **Cheng, Y.-N., R. Holmes, X.-C. Wu, & N. Alfonso, 2009.** Sexual dimorphism and life history of Keichousaurus hui (Reptilia: Sauropterygia). Journal of Vertebrate Paleontology, v.29, no.2, pp.401–408. <https://doi.org/10.1671/039.029.0230>
- **Cheng, Y.-N., X.-C. Wu, T. Sato, & H.-Y. Shan, 2012.** A new eosauropterygian (Diapsida, Sauropterygia) from the Triassic of China. Journal of Vertebrate Paleontology, v.32, no.6, pp.1335–1349. <https://doi.org/10.1080/02724634.2012.695983>
- **Cheng, Y.-N., X.-C. Wu, T. Sato, & H.-Y. Shan, 2016.** Dawazisaurus brevis, a new eosauropterygian from the Middle Triassic of Yunnan, China. Acta Geologica Sinica, v.90, no.2, pp.401-424. <https://doi.org/10.1111/1755-6724.12680>
- **Cornalia, E., 1854.** Notizie zoologiche sul Pachypleurosaurus edwardsii Cor. Nuovo sauro acrodonte degli strati triasici di Lombardia. Giornale del' J.R Instituto Lombardo di Scienze, Lettre, ed Arti, Nuova Serie v.6, pp.1–46.
- **Dames, W., 1890.** Anarosaurus pumilio nov. gen. nov. sp. Zeitschrift der Deutschen Geologischen Gesellschaft, v.42, no.1, pp.74–85.
- **Dülfer, O., & N. Klein, 2007.** Studentische Lehrgrabung im Winterswijker Muschelkalk. Der Präparator, v.52, pp.90-96.
- **Fischer, J., S. Voigt, M. Franz, J.W. Schneider, M.M. Joachimski, M. Tichomirowa, J. Götze, & H. Furrer, 2012.** Palaeoenvironments of the late Triassic Rhaetian Sea: implications from oxygen and strontium isotopes of hybodont shark teeth. Palaeogeography, Palaeoclimatology, Palaeoecology, v.353–355, pp.60–72. <https://doi.org/10.1016/j.palaeo.2012.07.002>
- **Fortuny, J., A. Bolet, A.G. Sellés, J. Cartanyà, & À. Galobart, 2011.** New insights on the Permian and Triassic vertebrates from the Iberian Peninsula with emphasis on the Pyrenean and Catalonian basins. Journal of Iberian Geology, v.37, no.1, pp.65–86. https://doi.org/10.5209/rev_jige.2011.v37.n1.5

- **Fraas, O., 1881.** Simosaurus pusillus aus der Lettenkohle von Hoheneck, Jahreshefte des Vereins für vaterländische Naturkunde in Württemberg, Stuttgart v.37, pp.319–324.
- **Gürich, G.J.E., 1884.** Über einige Saurier des oberschlesischen Muschelkalkes. Zeitschrift der Deutschen Geologischen Gesellschaft v.36, no.1, pp.125–144.
- **Hagdorn, H., & T. Simon, 1993.** Rinnenbildung und Emersion in den Basisschichten des Mittleren Muschelkalks von Eberstadt (Nordbaden). Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen, v.189, no.1-3, pp.119–145.
- **Von Meyer** Paläontologische Zeitschrift, v. 93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- **Holmes, R., Y.-N. Cheng, & X.-C. Wu, 2008.** New information on the skull of Keichousaurus hui (Reptilia: Sauropterygia) with comments on sauropterygian interrelationships. Journal of Vertebrate Paleontology, v.28, no.1, pp.76–84. [https://doi.org/10.1671/0272-4634\(2008\)28\[76:niotso\]2.0.co;2](https://doi.org/10.1671/0272-4634(2008)28[76:niotso]2.0.co;2)
- **Hugi, J., & T.M. Scheyer, 2012.** Ossification sequences and associated ontogenetic changes in the bone histology of pachypleurosaurids from Monte San Giorgio (Switzerland/Italy). Journal of Vertebrate Paleontology, v.32, no.2, pp.315–327. <https://doi.org/10.1080/02724634.2012.646376>
- **Hugi, J., T.M. Scheyer, P.M. Sander, N. Klein, & M.R. Sánchez-Villagra, 2011.** Long bone microstructure and life history data of pachypleurosaurids from the Middle Triassic of Monte San Giorgio, Switzerland/Italy. Comptes Rendus Palevol, v.10, no.5-6, pp.413–426. <https://doi.org/10.1016/j.crpv.2011.03.009>
- **Jiang, D.-Y., O. Rieppel, R. Motani, W.-C. Hao, Y.-L. Sun, L. Schmitz, & Z.-Y Sun, 2008.** A new Middle Triassic eosaurophterygian (Reptilia, Sauropterygia) from southwestern China. Journal of Vertebrate Paleontology, v.28, no.4, pp.1055–1062. <https://doi.org/10.1671/0272-4634-28.4.1055>
- **Jiang, D.-Y., R. Motani, A. Tintori, O. Rieppel, G.-B. Chen, J.-D. Huang, R. Zhang, Z.-Y. Sun, & C. Ji, 2014.** The Early Triassic eosaurophterygian Majiashanosaurus discocoracoidis, gen. et sp. nov. (Reptilia, Sauropterygia), from Chaohu, Anhui Province, People's Republic of China. Journal of Vertebrate Paleontology, v.34, no.5, pp.1044–1052. <https://doi.org/10.1080/02724634.2014.846264>
- **San, K.K., N.C. Fraser, D. Foffa, O. Rieppel, & S.L. Brusatte, 2019.** The first Triassic vertebrate fossils from Myanmar: Pachypleurosaurus in a marine limestone. Acta Palaeontologica Polonica, v.64, no.2, pp.357-362 <https://doi.org/10.4202/app.00594.2019>
- **Klein, N., 2009.** Skull morphology of Anarosaurus heterodontus (Reptilia: Sauropterygia: Pachypleurosauria) from the Lower Muschelkalk of the Germanic Basin (Winterswijk, The Netherlands). Journal of Vertebrate Paleontology, v.29, no.3, pp.665-676. <https://doi.org/10.1671/039.029.0327>
- **Klein, N., 2010.** Long bone histology of Sauropterygia from the Lower Muschelkalk of the Germanic Basin provides unexpected implications for phylogeny. PLoS ONE v.5, no.7, p.e11613. <https://doi.org/10.1371/journal.pone.0011613>
- **Klein, N., 2012.** Postcranial morphology and growth of the pachypleurosaur Anarosaurus heterodontus (Sauropterygia) from the Lower Muschelkalk of Winterswijk, The Netherlands. Paläontologische Zeitschrift, v.86, no.4, pp.389-408. <https://doi.org/10.1007/s12542-012-0137-1>
- **Klein, N., D.F.A.E. Voeten, J. Lankamp, R.W. Bleeker, O.J. Sichelschmidt, M. Liebrand, D.C. Nieweg, & P.M. Sander, 2015.** Postcranial material of Nothosaurus marchicus from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands, with remarks on swimming styles and taphonomy. Paläontologische Zeitschrift, v.89, no.4, pp.961-981. <https://doi.org/10.1007/s12542-015-0273-5>
- **Klein, N., & E.M. Griebeler, 2018.** Growth patterns, sexual dimorphism, and maturation modeled in Pachypleurosauria from Middle Triassic of central Europe (Diapsida: Sauropterygia). Fossil Record, v.21, no.1, pp.137–157. <https://doi.org/10.5194/fr-21-137-2018>
- **Kowal-Linka, M., & A. Bodzioch, 2012.** Warstwy kościonośne z Dactylosaurus (Reptilia, Sauropterygia) z retu (trias dolny, olenek) Opolszczyzny. Przegląd Geologiczny, v.60, no.2, pp.646–649.

- **Kowal-Linka, M., & A. Bodzioch, 2017.** *Genesis of the Lower Triassic bonebeds from Gogolin (S Poland): The impact of microbial mats on trapping of vertebrate remains.* Palaeogeography, Palaeoclimatology, Palaeoecology, v.466, pp.38–58. <https://doi.org/10.1016/j.palaeo.2016.11.010>
- **Kuhn-Schnyder, E., 1959.** *Ein neuer Pachypleurosaurier von der Stulseralp bei Bergrün (Kt. Graubünden, Schweiz).* Eclogae Geologicae Helvetiae, v.52, pp. 639–658.
- **Li, J.-L., 2006.** *A brief summary of the Triassic marine reptiles of China.* Vertebrata PalAsiatica, v.44, no.1, pp.99–108.
- **Lin, K., & O. Rieppel, 1998.** *Functional morphology and ontogeny of Keichousaurus hui (Reptilia, Sauropterygia).* Fieldiana Geology, New Series, v.39, no.1491, pp.1–35.
- **Liu, J., O. Rieppel, D.-Y. Jiang, J.C. Aitchison, R. Motani, Q.-Y Zhang, Q.-Y. Zhou, & Y.-Y. Sun, 2011.** *A new pachypleurosaur (Reptilia: Sauropterygia) from the lower Middle Triassic of southwestern China and the phylogenetic relationships of Chinese pachypleurosaurs.* Journal of Vertebrate Paleontology, v.31, no.2, pp.291–302. <https://doi.org/10.1080/02724634.2011.550363>
- **Liu, X.-Q., W.-B. Lin, O. Rieppel, Z.-Y. Sun, Z.-G. Li, H. Lu, & D.-Y. Jiang, 2017.** *A new specimen of Diandongosaurus acutidentatus (Sauropterygia) from the Middle Triassic of Yunnan, China.* Vertebrata PalAsiatica v.53, no.4, pp.281–290.
- **Nopsca, F.B. 1928.** *Palaeontological notes on reptiles.* Geologica Hungarica, Series Palaeontologica, v.1, pp.3–84.
- **Renesto, S., G. Binelli, & H. Hagdorn, 2014.** *A new pachypleurosaur from the Middle Triassic Besano Formation of Northern Italy.* Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen, v.271, no.2, pp.151-168. <https://doi.org/10.1127/0077-7749/2014/0382>
- **Rieppel, O., 1989.** *A New Pachypleurosaur (Reptilia: Sauropterygia) from the Middle Triassic of Monte San Giorgio, Switzerland.* Philosophical Transactions of the Royal Society of London, B: Biological Sciences, v.323, no.1212, pp.1–73. <https://doi.org/10.1098/rstb.1989.0001>
- **Rieppel, O., & K. Lin, 1995.** *Pachypleurosaurs (Reptilia: Sauropterygia) from the Lower Muschelkalk, and a review of the Pachypleurosauroidea.* Fieldiana Geology, v.32, no.1473, pp.1–44.
- **Rieppel, O., & H. Hagdorn, 1998.** *Fossil reptiles from the Spanish Muschelkalk (mont-ral and alcover, province Tarragona).* Historical Biology, v.13, no.1, pp.77–97. <https://doi.org/10.1080/08912969809386575>
- **Rieppel, O., 2000.** *Sauropterygia I*, in Wellnhofer, P., ed., Encyclopedia of Paleoherpetology, Volume 12A. Munich, Verlag Dr. Friedrich Pfeil, 134p.
- **Rieppel, O., 2002.** *Feeding mechanics in Triassic stem group sauropterygians: the anatomy of a successful invasion of Mesozoic seas.* Zoological Journal of the Linnean Society, v.135, no.1, pp.33–63. <https://doi.org/10.1046/j.1096-3642.2002.00019.x>
- **Rieppel, O., 2019.** *Mesozoic Sea Dragons: Triassic Marine Life from the Ancient Tropical Lagoon of Monte San Giorgio, Indiana University Press,312p.* <https://doi.org/10.2307/j.ctvd58t86>
- **Sander, P.M., 1988.** *A fossil reptile embryo from the Middle Triassic of the Alps.* Science, v.239, no.4841, pp.780–783. <https://doi.org/10.1126/science.3340859>
- **Sander, P.M., 1989.** *The pachypleurosaurids (Reptilia: Nothosauria) from the Middle Triassic of Monte San Giorgio (Switzerland) with the description of a new species.* Philosophical Transactions of the Royal Society London B Biological Sciences, v.325, no.1230, pp.561–666. <https://doi.org/10.1098/rstb.1989.0103>
- **Sander, P.M., 1990.** *Skeletochronology in the small Triassic reptile Neusticosaurus.* Annales des Sciences Naturelles. Zoologie, Paris, 13^e série, v.11, pp.213–217.
- **Schoch, R.R., 2015.** *Reptilien.* In: Hagdorn, H., Schoch, R.R. Schweigert, G., eds, *Der Lettenkeuper - Ein Fenster in die Zeit vor den Dinosauriern.* Palaeodiversity Sonderband, pp.231–264.
- **Seeley, H.G., 1882.** *On Neusticosaurus pusillus (Fraas), an amphibious reptile having affinities with terrestrial Nothosauria and with marine Plesiosauria.* Quarterly Journal of the Geological Society of London, v.38, no.1-3, pp.350–366.

- **Shang, Q.-H., & C. Li, 2015.** A new small-sized eosauroptrygian (*Diapsida: Sauropterygia*) from the Middle Triassic of Luoping, Yunnan, southwestern China. *Vertebrata PalAsiatica*, v.53, no.4, pp.265–280.
- **Shang, Q.-H., X.-C. Wu, & C. Li, 2011.** A new eosauroptrygian from the Middle Triassic of eastern Yunnan Province, southwestern China. *Vertebrata PalAsiatica*, v.49, no.2, pp.155–173.
- **Shang, Q.-H, C. Li, & X.-C. Wu, 2017.** New information on *Dianmeisaurus gracilis* Shang & Li, 2015. *Vertebrata PalAsiatica*, v.55, no.2, pp.145–161.
- **Sun, Z.-Y., D.-Y. Jiang, C. Ji, & W. Hao, 2016.** Integrated biochronology for Triassic marine vertebrate faunas of Guizhou Province, South China. *Journal of Asian Earth Sciences*, v.118, pp.101–110. <https://doi.org/10.1016/j.jseaes.2016.01.004>
- **Young, C.C., 1958.** On the new *Pachypleurosauroidae* from Keichow, South-West China. *Vertebrata PalAsiatica*, v.2, pp.69–81.
- **Young, C.C., 1965.** On the new nothosaurs from Hupeh and Kweichou, China. *Vertebrata PalAsiatica* v.9, pp.337–356.
- **Young, C.C., 1972.** A marine lizard from Nanchang, Hupeh Province. *Memoirs of the Institute of Vertebrate Paleontology and Paleoanthropology, Academia Sinica*, v.9, pp.17–27.
- **Xue, Y., D.-Y. Jiang, R. Motani, O. Rieppel, Y.-L Sun, Z. Sun, C. Ji, & P. Yang, 2015.** New information on sexual dimorphism and allometric growth in *Keichousaurus hui*, a pachypleurosaur from the Middle Triassic of Guizhou, South China. *Acta Palaeontologica Polonica*, v.60, no.3, pp.681–687. <http://dx.doi.org/10.4202/app.00006.2013>
- **Zou, X., M. Balini, D.Y. Jiang, A. Tintori, Z.-Y. Sun, & Y.-L. Sun, 2015.** Ammonoids from the Zhuganpo Member of the Falang Formation at Nimaigu and their relevance for dating the Xingyi Fossil- Lagerstätte (Late Ladinian, Guizhou, China). *Rivista Italiana di Paleontologia e Stratigrafia*, v.121, no.2, pp.135–161. <https://doi.org/10.13130/2039-4942/6511>

P.234 NOTHOAUROIDEA FROM THE VOSSENVELD FORMATION AND THEIR RELATIVES

Dennis F. A. E. Voeten^{1,2*}, Paul. C. H. Albers¹, and Nicole Klein^{2,3}

(¹dennis.voeten@naturalis.nl, ¹Naturalis Biodiversity Center, Leiden, the Netherlands

²Workgroup Muschelkalk Winterswijk, Dutch Geological Association, Winterswijk, the Netherlands

³Abteilung Paläontologie, Institut für Geowissenschaften, Universität Bonn, Germany)

- **Albers, P.C.H., & O. Rieppel, 2003.** A new species of the sauropterygian genus *Nothosaurus* from the Lower Muschelkalk of Winterswijk, the Netherlands. *Journal of Paleontology*, v.77. no.4, pp.738–744. <https://doi.org/10.1017/s0022336000044462>
- **Albers, P.C.H., 2005.** A new specimen of *Nothosaurus marchicus* with features that relate the taxon to *Nothosaurus winterswijkensis*. *PalArch's journal of vertebrate palaeontology*, v.3, no.1, pp.1-7.
- **Albers, P.C.H., 2011.** New *Nothosaurus* skulls from the Lower Muschelkalk of the western Lower Saxony Basin (Winterswijk, The Netherlands) shed new light on the status of *Nothosaurus winterswijkensis*. *Netherlands Journal of Geosciences*, v. 90, no.1, pp.15–21. <https://doi.org/10.1017/s0016774600000639>
- **Baur, G., 1889.** *Palaeohatteria Credner, and the Proganosauria*. *American Journal of Science*, v3, no.37, pp.310–313.
- **Bickelmann, C., & P.M. Sander, 2008.** A partial skeleton and isolated humeri of *Nothosaurus* (*Reptilia: Eosauropterygia*) from Winterswijk, The Netherlands. *Journal of Vertebrate Paleontology*, v.28, no.2, pp.326-338. [https://doi.org/10.1671/0272-4634\(2008\)28\[326:apsaih\]2.0.co;2](https://doi.org/10.1671/0272-4634(2008)28[326:apsaih]2.0.co;2)
- **Conybeare, W. D., & H.T. De la Beche, 1821.** Notice of the discovery of a new fossil animal, forming a link between the Ichthyosaurus and the crocodile, together with general remarks on the osteology of the Ichtyosaurus. *Transactions of the Geological Society of London*, v.1, no.5, pp.559–594.

- **Edinger, T., 1921.** Über Nothosaurus. *Unpublished PhD thesis*, Johann-Wolfgang-Goethe University, Frankfurt a. M.
- **Gürich, G.J.E., 1891.** Über einen neuen Nothosaurus von Gogolin, Oberschlesien. *Zeitschrift der Deutschen Geologischen Gesellschaft*, v.43, no.4, pp.967-970.
- **Haas, G., 1963.** Micronothosaurus stensiöi, ein neuer Nothosauride aus dem oberen Muschelkalk des Wadi Ramon, Israel. *Paläontologische Zeitschrift*, v.37, no.3, pp.161-178.
<https://doi.org/10.1007/bf02987911>
- **Hänni, K., 2004.** Die Gattung Ceresiosaurus. *Ceresiosaurus calcagnii Peyer und Ceresiosaurus lanzi n. sp (Lariosauridae, Sauropterygia)*. Vdf Hochschulverlag, ETH Zürich.
- **Heijne, J., N. Klein, & P.M. Sander, 2019.** The uniquely diverse taphonomy of the marine reptile skeletons (Sauropterygia) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands. *Paläontologische Zeitschrift*, v.93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- **Hinz, J.K., A.T. Matzke, & H.U. Pfretzschner, 2019.** A new nothosaur (Sauropterygia) from the Ladinian of Vellberg-Eschenau, southern Germany. *Journal of Vertebrate Paleontology*, v.39, no.2, p.e1585364. <https://doi.org/10.1080/02724634.2019.1585364>
- **Hooijer, D.A., 1959.** Records of nothosaurians from the Muschelkalk of Winterswijk, Netherlands. *Geologie en Mijnbouw*, v.21, no.2, pp.37-39.
- **Hu, S.-X., Q.-Y. Zhang, Z.-Q. Chen, C.-Y. Zhou, T. Lü, T. Xie, W. Wen, J.-Y. Huang, & M.J. Benton, 2010.** The Luoping biota: exceptional preservation, and new evidence on the Triassic recovery from end-Permian mass extinction. *Proceedings of the Royal Society B Biological Sciences*, v.278, no.1716, pp.2274-2282.
<https://doi.org/10.1098/rspb.2010.2235>
- **Jiang, D.-Y., M.W. Maisch, Z.-Y. Sun, Y.-L. Sun, & W.-C. Hao, 2006.** A new species of Lariosaurus (Reptilia, Sauropterygia) from the Middle Anisian (Middle Triassic) of southwestern China. *Neues Jahrbuch für Geologie und Paläontologie. Abhandlungen*, v.242, no.1, pp.19-42.
<https://doi.org/10.1127/njgpa/242/2006/19>
- **Klein, N., 2010.** Long bone histology of Sauropterygia from the Lower Muschelkalk of the Germanic Basin provides unexpected implications for phylogeny. *PLoS One*, v.5, no.7, p.e11613.
<https://doi.org/10.1371/journal.pone.0011613>
- **Klein, N., & P.C.H. Albers, 2009.** A new species of the sauropsid reptile Nothosaurus from the Lower Muschelkalk of the western Germanic Basin, Winterswijk, The Netherlands. *Acta Palaeontologica Polonica*, v.54, no.4, pp.589-598. <https://doi.org/10.4202/app.2008.0083>
- **Klein, N., D.F.A.E. Voeten, J. Lankamp, R.W. Bleeker, O.J. Sichelschmidt, M. Liebrand, D.C. Nieweg, & P.M. Sander, 2015.** Postcranial material of Nothosaurus marchicus from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands, with remarks on swimming styles and taphonomy. *Paläontologische Zeitschrift*, v.89, no.4, pp.961-981. <https://doi.org/10.1007/s12542-015-0273-5>
- **Klein, N., D.F.A.E. Voeten, A. Haarhuis, & R.W. Bleeker, 2016a.** The earliest record of the genus Lariosaurus from the early middle Anisian (Middle Triassic) of the Germanic Basin. *Journal of Vertebrate Paleontology*, v.36, no.4, p.e1163712. <https://doi.org/10.1080/02724634.2016.1163712>
- **Klein, N., P.M. Sander, A. Krahl, T.M. Scheyer, & A. Houssaye, 2016b.** Diverse aquatic adaptations in Nothosaurus spp. (Sauropterygia)—inferences from humeral histology and microanatomy. *PloS One*, v.11, no.7, p.e0158448. <https://doi.org/10.1371/journal.pone.0158448>
- **Klein, N., & E.M. Griebeler, 2016.** Bone histology, microanatomy, and growth of the nothosauroid Simosaurus gaillardotii (Sauropterygia) from the Upper Muschelkalk of southern Germany/Baden-Württemberg. *Comptes Rendus Palevol*, v.15, no.1-2, pp.142-162.
<https://doi.org/10.1016/j.crpv.2015.02.009>
- **Krahl, A., N. Klein, & P.M. Sander, 2013.** Evolutionary implications of the divergent long bone histologies of Nothosaurus and Pistosaurus (Sauropterygia, Triassic). *BMC evolutionary biology*, v.13, no.1, pp.123. <https://doi.org/10.1186/1471-2148-13-123>

- Lin, W.-B., D.-Y. Jiang, O. Rieppel, R. Motani, C. Ji, A. Tintori, Z.-Y Sun, & M. Zhou, 2017. A new specimen of *Lariosaurus xingyiensis* (*Reptilia, Sauropterygia*) from the Ladinian (Middle Triassic) Zhuganpo Member, Falang Formation, Guizhou, China. *Journal of Vertebrate Paleontology*, v.37, no.2, p.e1278703. <https://doi.org/10.1080/02724634.2017.1278703>
- Liu, J., S.-X. Hu, O. Rieppel, D.-Y. Jiang, M.J. Benton, N.P. Kelley, J.C. Aitchison, C.-Y. Zhou, W. Wen, J.-Y. Huang, T. Xie, & T. Lv, 2014. A gigantic nothosaur (*Reptilia: Sauropterygia*) from the Middle Triassic of SW China and its implication for the Triassic biotic recovery. *Scientific Reports*, v.4, no.7142, pp.1-9. <https://doi.org/10.1038/srep07142>
- Marquez-Aliaga, A., N. Klein, M. Reolid, P. Plasencia, J.A. Villena, & C. Martinez-Perez, 2019. An enigmatic marine reptile, *Hispaniasaurus cranoelongatus* (gen. et sp. nov.) with nothosauroid affinities from the Ladinian of the Iberian Range (Spain). *Historical Biology*, v.31, no.2, pp.223-233. <https://doi.org/10.1080/08912963.2017.1359264>
- de Miguel Chaves, C., F. Ortega, & A. Pérez-García, 2018a. Cranial variability of the European Middle Triassic sauropterygian *Simosaurus gaillardotii*. *Acta Palaeontologica Polonica*, v.63, no.2, pp.315-326. <https://doi.org/10.4202/app.00471.2018>
- de Miguel Chaves, C., F. Ortega, & A. Pérez-García, 2018b. New highly pachyostotic nothosauroid interpreted as a filter-feeding Triassic marine reptile. *Biology Letters*, v.14, no.8. <https://doi.org/10.1098/rsbl.2018.0130>
- Münster, G. Z., 1834. Vorläufige Nachricht über einige neue Reptilien im Muschelkalke von Bayern. Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefaktenkunde, pp.521- 527.
- Muscutt, L.E., G. Dyke, G.D. Weymouth, D. Naish, C. Palmer, & B. Ganapathisubramani, 2017. The four-flipper swimming method of plesiosaurs enabled efficient and effective locomotion. *Proceedings of the Royal Society B Biological Sciences*, v.284, no.1861. <https://doi.org/10.1098/rspb.2017.0951>
- Oosterink, H.W., & G.H. Diepenbroek, 1990. Nieuwe vondsten uit de Winterswijkse Trias. Grondboor & Hamer, v.44, no.6, pp.150-154. <http://natuurtijdschriften.nl/download?type=document&docid=405529>
- Oosterink, H.W., W. Berkelder, C. de Jong, J. Lankamp, & H. Winkelhorst, 2003. Sauriers uit de Onder-Muschelkalk van Winterswijk. Grondboor & Hamer, v.57 - *Staringia* 11, pp.1-146.
- Owen, R., 1860. On the orders of fossil and recent Reptilia, and their distribution through time. *Report of the British Association for the Advancement of Science*, v.29, pp.153-166.
- Renesto, S., 1993. A juvenile *Lariosaurus* (*Reptilia, Sauropterygia*) from the Kalkschieferzone (Uppermost Ladinian) near Viggio (Varese, Northern Italy). *Rivista Italiana di Paleontologia e Stratigrafia*, v.99, no.2, pp.199-212.
- Renesto, S., C. Lombardo, A. Tintori, & G. Danini, 2003. Nothosaurid embryos from the Middle Triassic of northern Italy: an insight into the viviparity of nothosaurs? *Journal of Vertebrate Paleontology*, v.23, no.4, pp.957-960. <https://doi.org/10.1671/1840-21>
- Rieppel, O., 1989. A new pachypleurosaur (*Reptilia: Sauropterygia*) from the Middle Triassic of Monte San Giorgio, Switzerland. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences*, v.323, no.1212, pp.1-73. <https://doi.org/10.1098/rstb.1989.0001>
- Rieppel, O., 1994a. Osteology of *Simosaurus gaillardotii* and the relationships of stem-group *Sauropterygia*. *Fieldiana Geology – New Series*, No.28. *Field Museum of Natural History, Publication 1462*.
- Rieppel, O., 1994b. *Lariosaurus balsami Curioni* (*Reptilia, Sauropterygia*) aus den Gailtaler Alpen. *Carinthia II*, v.184, no.104, pp.345-356.
- Rieppel, O., 1997. Revision of the Sauropterygian reptile genus *Cymatosaurus* v. Fritsch, 1894, and the relationships of *Germanosaurus Nopcsa*, 1928, from the Middle Triassic of Europe. *Fieldiana Geology – New Series*, No.36. *Field Museum of Natural History, Publication 1484*.
- Rieppel, O., & R. Werneburg, 1998. A new species of the sauropterygian *Cymatosaurus* from the Lower Muschelkalk of Thuringia, Germany. *Paleontology* v.41, no.4, pp.575-589.
- Rieppel, O., 2000. *Sauropterygia I*, in Wellnhofer, P., ed., *Encyclopedia of Paleoherpetology*, Volume 12A. Munich, Verlag Dr. Friedrich Pfeil, 134p.

- **Rieppel, O., 2007.** *On the nothosaurian genera Ceresiosaurus and Lariosaurus*. Geologia Insubrica v.10, no.2, pp.1-7.
- **Rieppel, O., & R. Wild, 1996.** *A revision of the genus Nothosaurus (Reptilia: Sauropterygia) from the Germanic Triassic, with comments on the status of Conchiosaurus clavatus*. Fieldiana Geology – New Series, No. 34. Field Museum of Natural History, Publication 1479.
- **Sander, P.M., N. Klein, P.C.H. Albers, C. Bickelmann, & H. Winkelhorst, 2014.** *Postcranial morphology of a basal Pistosauroidea (Sauropterygia) from the Lower Muschelkalk of Winterswijk, The Netherlands*. Paläontologische Zeitschrift, v. 88, no.1, p.55-71.
<https://doi.org/10.1007/s12542-013-0181-5>
- **Stockar, R., 2010.** *Facies, depositional environment, and palaeoecology of the Middle Triassic Cassina beds (Meride Limestone, Monte San Giorgio, Switzerland)*. Swiss Journal of Geosciences, v.103, no.1, pp.101-119. <https://doi.org/10.1007/s00015-010-0008-2>
- **Tschanz, K. 1989.** *Lariosaurus buzzii n. sp. From the Middle Triassic of Monte San Giorgio (Switzerland) with comments on the classification of nothosaurs*. Palaeontographica Abteilung A, v.208, no.4-6, pp.153–179.
- **Voeten, D.F.A.E., P.M. Sander, & N. Klein, 2015.** *Skeletal material from larger Eusauropterygia (Reptilia: Eosauropterygia) with nothosaurian and cymatosaurian affinities from the Lower Muschelkalk of Winterswijk, The Netherlands*. Paläontologische Zeitschrift, v.89 no.4, pp.943-960.
<https://doi.org/10.1007/s12542-014-0250-4>
- **Voeten, D.F.A.E., T. Reich, R. Araújo, & T.M. Scheyer, 2018.** *Synchrotron microtomography of a Nothosaurus marchicus skull informs on nothosaurian physiology and neurosensory adaptations in early Sauropterygia*. PloS One, v.13, no.1, p.e0188509.
<https://doi.org/10.1371/journal.pone.0188509>
- **Voeten, D.F.A.E., & R.W. Bleeker, & P. Van der Donck, 2019.** *Remarkable eusauropterygian humeri from the Vossenveld Formation of Winterswijk*. NGV, Grondboor & Hamer, v.73, no.5/6 - Staringia 16, pp.266-272.
- **Voeten, D.F.A.E., & R. De Haan, 2019.** *State-of-the-art: virtual palaeontology and Vossenveld fossils with particular attention for a pistosauroid association*. Grondboor & Hamer, v.73, no.5/6 - Staringia 16, pp.294-300.
- **Wild, R., & H.W. Oosterink, 1984.** *Tanystropheus (Reptilia: Squamata) aus dem Unteren Muschelkalk von Winterswijk, Holland*. Grondboor & Hamer, v.38. no.5, pp.142-148.
<http://natuurtijdschriften.nl/download?type=document&docid=405258>

P.245 ANCESTORS TO THE PLESiosaurs? ON TRIASSIC PIStOSAUROIDEA AND THE POTENTIAL PRESENCE OF CYMATOSAURS IN WINTERSWIJK

Nicole Klein

(Institute of Geosciences, Division of Palaeontology, University of Bonn, Nussallee 8, 53115 Bonn, Germany.)

- **Albers, P.C.H., 2011.** *New Nothosaurus skulls from the Lower Muschelkalk of the western Lower Saxony Basin (Winterswijk, The Netherlands) shed new light on the status of Nothosaurus winterswijkensis*. Netherlands Journal of Geosciences, v. 90, no.1, pp.15-21.
<https://doi.org/10.1017/s0016774600000639>
- **Bickelmann, C., & P.M. Sander, 2008.** *A partial skeleton and isolated humeri of Nothosaurus (Reptilia: Eosauropterygia) from Winterswijk, The Netherlands*. Journal of Vertebrate Paleontology, v.28, no.2, pp.326-338.
[https://doi.org/10.1671/0272-4634\(2008\)28\[326:apsaih\]2.0.co;2](https://doi.org/10.1671/0272-4634(2008)28[326:apsaih]2.0.co;2)

- **Diedrich, C.G., 2013.** *The marine pachypleurosaur Serpianosaurus germanicus nov. spec. – Skeleton and isolated bone remains from the Pelsonian (Middle Triassic) of the European Germanic Basin carbonate intertidals and its paleobiology and taphonomy.* In: Tanner, L.H., Spielmann, J.A. & Lucas, S.G., eds., The Triassic System. New Mexico Museum of Natural History and Science, Bulletin 61. pp.159–168.
- **Fritsch, K.V., 1894.** *Beitrag zur Kenntnis der Saurier des Halle'schen unteren Muschelkalkes.* Abhandlungen der Naturforschenden Gesellschaft zu Halle v.20, pp.273–302.
- **Gürich, G.J.E., 1884.** *Über einige Saurier des Oberschlesischen Muschelkalkes.* Zeitschrift der deutschen Geologischen Gesellschaft, 36, pp.125–144.
- **Heijne, J., N. Klein, & P.M. Sander, 2019.** *The uniquely diverse taphonomy of the marine reptile skeletons (Sauropterygia) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands.* Paläontologische Zeitschrift, v.93, no.1, pp.69-92.
<https://doi.org/10.1007/s12542-018-0438-0>
- **Von Huene, F., 1944.** *Cymatosaurus und seine Beziehungen zu anderen Sauropterygiern.* Neues Jahrbuch für Mineralogie, Geologie und Paläontologie, Monatshefte, Abteilung B, pp.192–222.
- **Von Huene, F., 1958.** *Aus den Lechtaler Alpen ein neuer Anarosaurus.* - Neues Jahrbuch für Geologie und Paläontologie, Monatshefte, pp.322–324.
- **Klein, N., 2010.** *Long bone histology of Sauropterygia from the Lower Muschelkalk of the Germanic Basin provides unexpected implications for phylogeny.* PLoS ONE, v.5, no.7, p.e11613.
<https://doi.org/10.1371/journal.pone.0011613>
- Klein, N., D.F.A.E. Voeten, J. Lankamp, R.W. Bleeker, O.J. Sichelschmidt, M. Liebrand, D.C. Nieweg, & P.M. Sander, 2015a.** *Postcranial material of Nothosaurus marchicus from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands, with remarks on swimming styles and taphonomy.* Paläontologische Zeitschrift, v.89, no.4, pp.961-981. <https://doi.org/10.1007/s12542-015-0273-5>
- **Klein, N., A. Houssaye, J.M. Neenan, & T.M. Scheyer, 2015b.** *Long bone histology and microanatomy of Placodontia (Diapsida: Sauropterygia),* Contributions to Zoology, v.84, no.1, pp.59–84. <https://doi.org/10.1163/18759866-08401005>
- **Klein, N., P.M. Sander, A. Krahl, T.M. Scheyer, & A. Houssaye, 2016.** *Diverse aquatic adaptations in Nothosaurus spp. (Sauropterygia)—inferences from humeral histology and microanatomy.* PloS One, v.11, no.7, p.e0158448. <https://doi.org/10.1371/journal.pone.0158448>
- **Klein, N., & E.M. Griebeler, 2018.** *Growth patterns, sexual dimorphism, and maturation modeled in Pachypleurosauria from Middle Triassic of central Europe (Diapsida: Sauropterygia).* Fossil Record, v.21, no.1, pp.137–157. <https://doi.org/10.5194/fr-21-137-2018>
- **Krahl, A., N. Klein, & P.M. Sander, 2013.** *Evolutionary implications of the divergent long bone histologies of Nothosaurus and Pistosaurus (Sauropterygia, Triassic).* BMC Evolutionary Biology, v.13, pp.1–23 [doi: 10.1186/1471-2148-13-123].
- **Maisch, M.W., 2014.** *A well preserved skull of Cymatosaurus (Reptilia: Sauropterygia) from the uppermost Buntsandstein (Middle Triassic) of Germany.* Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen. V.272, no.2, pp.213–224. <https://doi.org/10.1127/0077-7749/2014/0407>
- **O'Keefe, F.R., 2006.** *Neoteny and the plesiomorphic condition of the plesiosaur basicranium.* In: Carrano, M.T., Gaudin, T.J., Blob, R.W. & Wible, J.R., eds., Amniote paleobiology, pp.391–409; Chicago (University of Chicago Press).
- **Oosterink, H.W., 1986.** *Winterswijk, Geologiedeel II. De Triasperiode (geologie, mineralen en fossielen).* Wetenschappelijke Mededeling van de Koninklijke Nederlandse Natuurhistorische Vereniging, v.178, pp.1-120.
- **Oosterink, H.W., W. Berkelder, C. De Jong, J. Lankamp, & H. Winkelhorst, 2003.** *Sauriërs uit de Onder-Muschelkalk van Winterswijk.* Grondboor & Hamer, Staringia 11, pp. 1–146.
- **Rieppel, O., 1989.** *A new pachypleurosaur (Reptilia: Sauropterygia) from the Middle Triassic of Monte San Giorgio, Switzerland.* Philosophical Transactions of the Royal Society of London, B: Biological Sciences, v.323, no.1212, pp.1–73. <https://doi.org/10.1098/rstb.1989.0001>

- **Rieppel, O., 1994.** *Osteology of Simosaurus gaillardotii, and the phylogenetic interrelationships of stem-group Sauropterygia*. Fieldiana Geology 28, no.1462, pp.1–85.
- **Rieppel, O., 1995.** *The status of Anarosaurus multidentatus The status of Anarosaurus multidentatus von Huene (Reptilia, Sauropterygia), from the lower Anisian of the Lechtaler Alps (Arlberg, Austria)*. Paläontologische Zeitschrift, v.69, no.1-2, pp.289-299.
<https://doi.org/10.1007/bf02985992>
- **Rieppel, O., 1995.** *Fragmenta Sauropterygia*. Neues Jahrbuch für Geologie und Paläontologie Abhandlungen v.197, pp.383–397.
- **Rieppel, O., 1997.** *Revision of the sauropterygian reptile genus Cymatosaurus v. Fritsch, 1894, and the relationships of Germanosaurus Nopcsa, from the Middle Triassic of Europe*. Fieldiana Geology, v.36, pp.1–38.
- **Rieppel, O., & H. Hagdorn, 1997.** *Paleobiogeography of Middle Triassic Sauropterygia in central and western Europe*. In *Ancient marine reptiles*, ed. J.M. Callaway, & Nicholls E.L., eds., Academic Press. pp.121–144.
- **Rieppel, O., & R. Werneburg, 1998.** *A new species of the sauropterygian Cymatosaurus from the Lower Muschelkalk of Thuringia, Germany*. Palaeontology, v.41, no.4, pp.575–590.
- **Rieppel, O., 2000.** *Sauropterygia I. in Wellnhofer, P., ed., Encyclopedia of Paleoherpetology, Volume 12A*. Munich, Verlag Dr. Friedrich Pfeil, 134p.
- **Rieppel, O., 2002.** *Feeding mechanics in Triassic stem-group sauropterygians: the anatomy of a successful invasion of Mesozoic seas*. Zoological Journal of the Linnean Society, v.135, no.1, pp.33–63. <https://doi.org/10.1046/j.1096-3642.2002.00019.x>
- **Sander, P.M., 1989.** *The pachypleurosaurids (Reptilia: Nothosauria) from the Middle Triassic of Monte San Giorgio (Switzerland), with the description of a new species*. Philosophical Transactions of the Royal Society of London B Biological Sciences, v.325, no.1230, pp.561–666.
<https://doi.org/10.1098/rstb.1989.0103>
- **Sander, P.M., N. Klein, P.C.H. Albers, C. Bickelmann, & H. Winkelhorst, 2014.** *Postcranial morphology of a basal Pistoiauroidae (Sauropterygia) from the Lower Muschelkalk of Winterswijk, The Netherlands*. Paläontologische Zeitschrift, v.88, no.1, pp.55-71.
<https://doi.org/10.1007/s12542-013-0181-5>
- **Schrammen, A., 1899.** *Beitrag zur Kenntnis der Nothosauriden des unteren Muschelkalkes in Oberschlesien*. Zeitschrift der Deutschen Geologischen Gesellschaft v.51, no.3, pp.388-408.
- **Schröder, H., 1914.** *Wirbeltiere der Rüdersdorfer Trias*. Abhandlungen der Königlich Preußischen Geologischen Landesanstalt, Neue Folge n.65, pp.1–98.
- **Sues, H.-D., 1987.** *The postcranial skeleton of Pistorosaurus and the interrelationships of the Sauropterygia (Diapsida)*. Zoological Journal of the Linnean Society, v.90, no.2, pp.109–131.
<https://doi.org/10.1111/j.1096-3642.1987.tb01351.x>
- **Sues, H.-D., & R.L. Caroll, 1985.** *The pachypleurosaurid Dactylosaurus schroederi (Diapsida: Sauropterygia)*. Canadian Journal of Earth Sciences, v.22, no.11, pp.1602–1608.
<https://doi.org/10.1139/e85-169>
- **Volz, W., & F. Frech, 1902.** *Proneusticosaurus, eine neue Sauropterygiergattung aus dem untersten Muschelkalk Oberschlesiens*. Palaeontographica, v.49, no.3, pp.121–162.

P.250 LEAVING ONLY TRACE FOSSILS - THE UNKNOWN VISITORS OF WINTERSWIJK

Lorenzo Marchetti¹, Hans van der Donck², Menko van Hylckama Vlieg², Melanie A.D. During^{2,3}
<sup>(¹Urweltmuseum GEOSKOP, Thallichtenberg, Germany (e-mail address:
lorenzo.marchetti85@gmail.com), ²Workgroup Muschelkalk Winterswijk, Dutch Geological
Association, Winterswijk, the Netherlands, ³Uppsala University, Uppsala, Sweden.)</sup>

- **Avanzini, M., & S. Renesto, 2002.** *A review of Rhynchosauroides tirolicus Abel, 1926 ichnospecies (Middle Triassic: Anisian-Ladinian) and some inferences on Rhynchosauroides trackmaker*. Rivista Italiana di Paleontologia e Stratigrafia, v.108, no.1, pp.51-66.
<https://doi.org/10.13130/2039-4942/5453>

- **Benton, M., 2014.** Vertebrate Palaeontology, 4th ed. West Sussex: John Wiley & Sons.
- **Demathieu, G.R., & H.W. Oosterink, 1983.** Die wirbeltier-ichnofauna aus dem unteren muschelkalk von winterswijk. *Staringia* 7, pp.1-51.
<http://natuurtijdschriften.nl/download?type=document&docid=568119>
- **Demathieu, G.R., & H.W. Oosterink, 1988.** New discoveries of ichnofossils from the Middle Triassic of Winterswijk (the Netherlands). *Geologie en Mijnbouw*, v.67, no.1, pp.3-17.
- **Diedrich, C.G., & H.W. Oosterink, 2000.** Bergings-en documentatietechniek van Rhynchosauroides peabodyi (Faber): sauriërsporen op de grens Boven-Bontzandsteen/Muschelkalk van Winterswijk. *Grondboor & Hamer*, v.54, no.6, pp.125-130.
<http://natuurtijdschriften.nl/download?type=document;docid=405920>
- **Faber, F.J., 1958.** Fossiele voetstappen in de Muschelkalk van Winterswijk. *Geologie en Mijnbouw* v.20, pp.317-321.
- **Holst, H.K.H., J. Smit, & E. Veenstra, 1970.** Lacertoid footprints from the Early Middle Triassic at Haarmuehle, near Altstätte, W. Germany. *Koninklijke Nederlandse Akademie van Wetenschappen Sect. B* v.73, no.2, pp.157–165.
- **Von Huene, F., 1941.** Die Tetrapoden-Faehrten im toskanischen Verrucano und ihre Bedeutung. *Neues Jahrbuch für Mineralogie, Geologie und Paleontologie*, v.86, pp.1-34.
- **Kemp, T.S., 2005.** The origin and evolution of mammals. *Oxford: Oxford University Press on Demand*.
- **Klein, H., & S.G. Lucas, 2010.** Tetrapod footprints-their use in biostratigraphy and biochronology of the Triassic. *Geological Society, London, Special Publications*, v.334, pp. 419-446.
- **Klein, H., S. Voigt, H. Saber, J.W. Schneider, A. Hminna, J. Fischer, & A. Brosig, 2011.** First occurrence of a Middle Triassic tetrapod ichnofauna from the Argana Basin (western High Atlas, Morocco). *Palaeogeography, Palaeoclimatology, Palaeoecology* v.307, pp.218-231.
- **Klein, H., S.G. Lucas, & S. Voigt, 2015.** Revision of the ?Permian-Triassic Tetrapod Ichnogenus Procolophonichnium Nopcsa 1923 with Description of the New Ichnospecies P. lockleyi. *Ichnos*, v.22, pp.155-176.
- **Oosterink, H.W., 2009.** The diversity of trace fossils from the Anisian (Middle Triassic) of Winterswijk, the Netherlands. *Deposits*, v.20, pp.8-11.
- **Oosterink, H.W., W. Berkelder, C. de Jong, J. Lankamp, & H. Winkelhorst, 2003.** Sauriërs uit de Onder-Muschelkalk van Winterswijk. *Grondboor & Hamer*, v.57 - *Staringia* 11, pp.1-146.
- **Romer, A.S., 1956.** Osteology of the Reptiles. *Chicago: Chicago University Press*.
- **Schulp, A.S., R.W. Bleeker, A. Haarhuis, E. van Spronsen, M.A.D. During, G. Goris, P. Kaskes, Y. Matteman, W. Winkelhorst, & H. Winkelhorst, 2017.** A tetrapod swimming traceway from the Triassic of Winterswijk, the Netherlands. *Netherlands Journal of Geosciences*, v. 96, no.3, pp.273-277. <https://doi.org/10.1017/njg.2017.13>

P.258 THE TAPHONOMY OF THE ANISIAN OF WINTERSWIJK - INSIGHTS INTO A UNIQUE ENVIRONMENT

Jelle Heijne^{*1}, Edouard Grigowski^{*1}

(¹Institute of Geosciences, University of Bonn, Germany)

- **Camp, C.L., 1980.** Large ichthyosaurs from the Upper Triassic of Nevada. *Palaeontographica Abteilung A* v.170, pp.139-200.
- **Dülfer, O., & N. Klein., 2006.** Studentische Lehrgrabung im Winterswijker Muschelkalk. *Der Präparator* 52, pp.90-96.
- **During, M.A.D., J. Pietersen, D.F.A.E. Voeten, M. Sardar Abadi, S. Verdegaal-Warmerdam, A.S. Schulp, J. Smit, J.J.G. Reijmer, & H.J.L. Van der Lubbe, 2019.** Stratigraphy and Geochemistry of the Vossenveld Formation. *Grondboor & Hamer*, v.73, no.5/6 - *Staringia* 16, pp.167-177.
- **Embry, A.F., & J.E. Klovan, 1971.** A late Devonian reef tract on northeastern Banks Island, NWT. *Bulletin of Canadian Petroleum Geology* v.19, pp.730-781.

- **Faber, F. J., 1958.** *Fossiele voetstappen in de Muschelkalk van Winterswijk*. Geologie en Mijnbouw v.20, pp.317-321.
- **Hagdorn, H., & T. Simon, 2010.** Vossenveld-Formation. *Litholex (Lithostratigraphische Einheiten Deutschlands) ID 45: 1-6.* https://litholex.bgr.de/gesamt_ausgabe_neu.php?id=45
- **Heijne, J., N. Klein, & P.M. Sander, 2019.** *The uniquely diverse taphonomy of the marine reptile skeletons (Sauropterygia) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands*; Paläontologische Zeitschrift, v.93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- **Hogler, J.A., 1992.** *Taphonomy and paleoecology of Shonisaurus popularis (Reptilia: Ichthyosauria)*. Palaios, v.7, no.1, pp.108-117.
- **Klein, N., & P.C.H. Albers, 2009.** *A new species of the sauropsid reptile Nothosaurus from the Lower Muschelkalk of the western Germanic Basin, Winterswijk, the Netherlands*. Acta Palaeontologica Polonica, v.54, no.4, pp.589-598. <https://doi.org/10.4202/app.2008.0083>
- **Klein, N., & T. M. Scheyer, 2014.** *A new placodont sauropterygian from the Middle Triassic of the Netherlands*. Acta Palaeontologica Polonica, v.59, no.4, pp.887-903. <https://doi.org/10.4202/app.2012.0147>
- **Klein, N., D.F.A.E. Voeten, A. Haarhuis, & R.W. Bleeker, 2016.** *The earliest record of the genus Lariosaurus from the early middle Anisian (Middle Triassic) of the Germanic Basin*. Journal of Vertebrate Paleontology, v.36, no.4, p.e1163712. <https://doi.org/10.1080/02724634.2016.1163712>
- **Martill, D.M., 1993.** *Soupy substrates: a medium for the exceptional preservation of ichthyosaurs of the Posidonia Shale (Lower Jurassic) of Germany*. Kaupia v.2, pp.77-97.
- **Maxwell, E.E., H.J. Diependaal, H. Winkelhorst, G. Goris, & N. Klein, 2016.** *A new species of Saurichthys (Actinopterygii: Saurichthyidae) from the Middle Triassic of Winterswijk, The Netherlands*. Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen, v.280, no.2, pp.119-134. <https://doi.org/10.1127/njgpa/2016/0569>
- **Neenan, J.M., N. Klein, & T.M. Scheyer, 2013.** *European origin of placodont marine reptiles and the evolution of crushing dentition in Placodontia*. Nature Communications, v.4, no.2284. <https://doi.org/10.1038/ncomms2633>
- **Noffke, N., G. Gerdes, T. Klenke, & W.E. Krumbein, 2001.** *Microbially induced sedimentary structures: a new category within the classification of primary sedimentary structures*. Journal of Sedimentary Research, v.71, no.5, pp.649-656. <https://doi.org/10.1306/2dc4095d-0e47-11d7-8643000102c1865d>
- **Oosterink, H.W. 1986.** *Winterswijk, geologie deel II: De Trias-periode (geologie, mineralen en fossielen)*. Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging, v.178, pp.1-120.
- **Orr, P.J., L.B. Adler, S.R. Beardmore, H. Furrer, M.E. McNamara, E. Peñalver-Mollá, & R. Redelstorff, 2016.** *“Stick ‘n’ peel”: Explaining unusual patterns of disarticulation and loss of completeness in fossil vertebrates*. Palaeogeography, palaeoclimatology, palaeoecology, v.457, pp.380-388. <https://doi.org/10.1016/j.palaeo.2016.05.024>

P.266 REMARKABLE EU SAUROPTERYGIAN HUMERI FROM THE VOSSENVELD FORMATION

Dennis F. A. E. Voeten^{*1,2}, Remco W. Bleeker², and Peter van der Donck^{1,2}

(*dennis.voeten@naturalis.nl, ¹Naturalis Biodiversity Center, Leiden, The Netherlands

²Workgroup Muschelkalk Winterswijk, Dutch Geological Association, Winterswijk, the Netherlands.)

- **Albers, P.C.H., & O. Rieppel, 2003.** *A new species of the sauropterygian genus Nothosaurus from the Lower Muschelkalk of Winterswijk, the Netherlands*. Journal of Paleontology, v.77, no.4, pp.738-744. <https://doi.org/10.1017/s0022336000044462>
- **Albers, P.C.H., 2005.** *A new specimen of Nothosaurus marchicus with features that relate the taxon to Nothosaurus winterswijkensis*. PalArch's journal of vertebrate palaeontology, v.3, no.1, pp.1-7.

- **Albers, P.C.H., 2011.** New Nothosaurus skulls from the Lower Muschelkalk of the western Lower Saxony Basin (Winterswijk, The Netherlands) shed new light on the status of Nothosaurus winterswijkensis. *Netherlands Journal of Geosciences*, v. 90, no.1, pp.15-21. <https://doi.org/10.1017/s0016774600000639>
- **Bickelmann, C., & P.M. Sander, 2008.** A partial skeleton and isolated humeri of Nothosaurus (*Reptilia: Eosauropterygia*) from Winterswijk, The Netherlands. *Journal of Vertebrate Paleontology*, v.28, no.2, pp.326-338. [https://doi.org/10.1671/0272-4634\(2008\)28\[326:apsaih\]2.0.co;2](https://doi.org/10.1671/0272-4634(2008)28[326:apsaih]2.0.co;2)
- **During, M.A.D., J. Pietersen, D.F.A.E. Voeten, M. Sardar Abadi, S. Verdegaal-Warmerdam, A.S. Schulp, J. Smit, J.J.G. Reijmer, & H.J.L. Van der Lubbe, 2019.** Stratigraphy and Geochemistry of the Vossenveld Formation. *Grondboor & Hamer*, v.73, no.5/6 - *Staringia* 16, pp. 167-177.
- **Hagdorn, H., & T. Simon, 2010.** Vossenveld-Formation. Litholex (Lithostratigraphische Einheiten Deutschlands) ID 45: pp.1–6. https://litholex.bgr.de/gesamt_ausgabe_neu.php?id=45
- **Hammer, Ø., D.A. Harper, & P.D. Ryan, 2001.** PAST: paleontological statistics software package for education and data analysis. *Palaeontologia electronica*, v.4, no.1, p.9. http://palaeo-electronica.org/2001_1/past/issue1_01.htm.
- **Heijne, J., N. Klein, & P.M. Sander, 2019.** The uniquely diverse taphonomy of the marine reptile skeletons (*Sauroptrygia*) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands. *Paläontologische Zeitschrift*, v.93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- **Klein, N., & P.C.H. Albers, 2009.** A new species of the sauropsid reptile Nothosaurus from the Lower Muschelkalk of the western Germanic Basin, Winterswijk, The Netherlands. *Acta Palaeontologica Polonica*, v.54, no.4, pp.589-598. <https://doi.org/10.4202/app.2008.0083>
- **Klein, N., 2010.** Long bone histology of Sauroptrygia from the Lower Muschelkalk of the Germanic Basin provides unexpected implications for phylogeny. *PLoS ONE*, v.5, no.7, p.e11613. <https://doi.org/10.1371/journal.pone.0011613>
- **Klein, N., D.F.A.E. Voeten, J. Lankamp, R.W. Bleeker, O.J. Sichelschmidt, M. Liebrand, D.C. Nieweg, & P.M. Sander, 2015.** Postcranial material of Nothosaurus marchicus from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands, with remarks on swimming styles and taphonomy. *Paläontologische Zeitschrift*, v.89, no.4, pp.961-981. <https://doi.org/10.1007/s12542-015-0273-5>
- **Klein, N., D.F.A.E. Voeten, A. Haarhuis, & R.W. Bleeker, 2016a.** The earliest record of the genus Lariosaurus from the early middle Anisian (Middle Triassic) of the Germanic Basin. *Journal of Vertebrate Paleontology*, v.36, no.4, p.e1163712. <https://doi.org/10.1080/02724634.2016.1163712>
- **Klein, N., P.M. Sander, A. Krahl, T.M. Scheyer, & A. Houssaye, 2016b.** Diverse aquatic adaptations in Nothosaurus spp. (*Sauroptrygia*)—inferences from humeral histology and microanatomy. *PloS One*, v.11, no.7, p.e0158448. <https://doi.org/10.1371/journal.pone.0158448>
- **Krahl, A., N. Klein, & P.M. Sander, 2013.** Evolutionary implications of the divergent long bone histologies of Nothosaurus and Ptosaurus (*Sauroptrygia*, Triassic). *BMC evolutionary biology*, v.13, no.1, p.123. <https://doi.org/10.1186/1471-2148-13-123>
- **Mosteller, F., & D. Wallace, 1964.** Inference and disputed authorship: The Federalist. *Reading, Massachusetts: Addison-Wesley*.
- **Oosterink, H.W., W. Berkelder, C. de Jong, J. Lankamp, & H. Winkelhorst, 2003.** Sauriërs uit de Onder-Muschelkalk van Winterswijk. *Grondboor & Hamer* v.57- *Staringia* 11, pp.1-146.
- **Renesto, S., C. Lombardo, A. Tintori, & G. Danini, 2003.** Nothosaurid embryos from the Middle Triassic of northern Italy: an insight into the viviparity of nothosaurs? *Journal of Vertebrate Paleontology*, v.23, no.4, pp.957-960. <https://doi.org/10.1671/1840-21>
- **Rieppel, O., 2000.** *Sauroptrygia I*, in Wellnhofer, P., ed., *Encyclopedia of Paleoherpetology*, Volume 12A. Munich, Verlag Dr. Friedrich Pfeil, 134p.
- **Sander, P.M., N. Klein, P.C.H. Albers, C. Bickelmann, & H. Winkelhorst, 2014.** Postcranial morphology of a basal Ptosasauroidea (*Sauroptrygia*) from the Lower Muschelkalk of Winterswijk, The Netherlands. *Paläontologische Zeitschrift*, v.88, no.1, pp.55-71. <https://doi.org/10.1007/s12542-013-0181-5>

- Surmik, D., T. Szczygielski, K. Janiszewska, & B.M. Rothschild, 2018. *Tuberculosis-like respiratory infection in 245-million-year-old marine reptile suggested by bone pathologies*. Royal Society Open Science, v.5, no.6, p.180225. <https://doi.org/10.1098/rsos.180225>
- Voeten, D.F.A.E., P.M. Sander, & N. Klein, 2015. *Skeletal material from larger Eusauropterygia (Reptilia: Eosauropterygia) with nothosaurian and cymatosaurian affinities from the Lower Muschelkalk of Winterswijk, The Netherlands*. Paläontologische Zeitschrift v.89, no.4, pp.943-960. <https://doi.org/10.1007/s12542-014-0250-4>
- Voeten, D.F.A.E., & R. De Haan, 2019. *State-of-the-art: virtual palaeontology and Vossenveld fossils with particular attention for a pistosauroid association*. Grondboor & Hamer, v.73, no.5/6 - Staringia 16, pp.294-300.

P.273 AN AFF. EUAUROSPHARGIS VERTEBRA ASSOCIATED WITH AN ISOLATED DENTARY

Daan M. Willemse¹, Nico W. Willemse^{1,2} & Dennis F. A. E. Voeten^{1,3*}

(¹ Workgroup Muschelkalk Winterswijk, Winterswijk, The Netherlands, ² RAAP, The Netherlands, ³ Naturalis Biodiversity Center, Leiden, The Netherlands, *Corresponding author. Email: dennis.voeten@naturalis.nl)

- Dülfer, O., & N. Klein, 2006. *Studentische Lehrgrabung im Winterswijker Muschelkalk*. Der Präparator, v.52, pp.90-96
- Hagdorn, H., 1991. *The Muschelkalk in Germany - an introduction*. In: H. Hagdorn, T. Simon & J. Szulc (eds.), *Muschelkalk*, a field guide. Goldschneck verlag, Werner K-Weidert, korb 7-21.
- Hagdorn, H., & T. Simon, 2010. *Vossenveld-Formation. Litholex (Lithostratigraphische Einheiten Deutschlands) ID 45*, 1–6. https://litholex.bgr.de/gesamt_ausgabe_neu.php?id=45
- Heijne, J., N. Klein, & P.M. Sander, 2019. *The uniquely diverse taphonomy of the marine reptile skeletons (Sauropterygia) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands*. Paläontologische Zeitschrift, v. 93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- Klein, H., G. Spencer, & S. Voigt, 2015. *Revision of the ?Permian-Triassic Tetrapod Ichnogenus Procolophonichnium Nopcsa 1923 with description of the new Ichnospecies P. lockleyi*. Ichnos, v.22, no.3-4, pp.155-176, <https://doi.org/10.1080/10420940.2015.1063490>
- Klein, N., 2009. *Skull morphology of Anarosaurus heterodontus (Reptilia: Sauropterygia: Pachypleurosauria) from the Lower Muschelkalk of the Germanic Basin (Winterswijk, The Netherlands)*. Journal of Vertebrate Paleontology, v.29, no.3, pp.665-676. <https://doi.org/10.1671/039.029.0327>
- Klein, N., & T.M. Scheyer, 2014. *A new placodont sauropterygian from the Middle Triassic of the Netherlands*. Acta Palaeontologica Polonica, v.59, no.4, pp.887-903. <https://doi.org/10.4202/app.2012.0147>
- Klein, N., & O.J. Sichelschmidt 2014. *Remarkable dorsal ribs with distinct uncinate processes from the early Anisian of the Germanic Basin (Winterswijk, The Netherlands)*. Neues Jahrbuch für Geologie und Paläontologie – Abhandlungen, v.271, no.3, pp.307–314. <https://doi.org/10.1127/0077-7749/2014/0391>
- Klein, N., D.F.A.E. Voeten, J. Lankamp, R.W. Bleeker, O.J. Sichelschmidt, M. Liebrand, D.C. Nieweg, & P.M. Sander, 2015. *Postcranial material of Nothosaurus marchicus from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands, with remarks on swimming styles and taphonomy*. Paläontologische Zeitschrift, v.89, no 4, pp.961-981. <https://doi.org/10.1007/s12542-015-0273-5>
- Klompmaker, A.A., & R.H.B. Fraaije, 2011. *The oldest (Middle Triassic, Anisian) lobsters from the Netherlands: taxonomy, taphonomy, paleoenvironment, and paleoecology*. Palaeontologia Electronica, v.14, no.1, pp.1-16. https://www.valencia.edu/~pardonmv/pe/2011_1/220/220.pdf

- Li, C., O. Rieppel, X.-C. Wu, L.-J. Zhao, & L.-T. Wang, 2011. A new Triassic marine reptile from southwestern China. *Journal of Vertebrate Paleontology* v.31, no.2, pp.303-312.
<https://doi.org/10.1080/02724634.2011.55036>
- Li, C., D.-Y. Jiang, L. Cheng, X.-C. Wu, & O. Rieppel, 2014. A new species of *Largocephalosaurus* (*Diapsida: Saurophargidae*), with implications for the morphological diversity and phylogeny of the group. *Geological Magazine* v.151, no.1, pp.100-120. <https://doi.org/10.1017/s001675681300023x>
- McCann, T., (editor), 2008. *The geology of Central Europe. Volume 2. Mesozoic and Cenozoic*. Geological Society of London, 1250p.
- Motani, R., 2009. The evolution of marine reptiles. *Evolution: Education and Outreach* v2, no.2, pp.224–235. <https://doi.org/10.1007/s12052-009-0139-y>
- Neenan, J.M., N. Klein, & T.M. Scheyer, 2013. European origin of placodont marine reptiles and the evolution of crushing dentition in *Placodontia*. *Nature Communications*, v.4, no.2284.
<https://doi.org/10.1038/ncomms2633>
- Nosotti, S., & O. Rieppel, 2003. *Eusaurosphargis dalsassoi n. gen. n. sp., a new unusual diapsid reptile from the Middle Triassic of Besano (Lombardy, N Italy)*. Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano, v.31, no.2, pp.1–33.
- Oosterink, H.W., 1986. Winterswijk, Geologie Deel II. De Trias-periode (geologie, mineralen en fossielen). *Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging*, v.178, pp.1-120.
- Oosterink, H.W., W. Berkelder, Ch. de Jong, J. Lankamp, & H. Winkelhorst, 2003. *Sauriers uit de Onder-Muschelkalk van Winterswijk*. Grondboor & Hamer, *Staringia* 11, pp.1-146.
- Oosterink, H.W., 2009. The diversity of trace fossils from the Anisian (Middle Triassic) of Winterswijk, the Netherlands. *Deposits*, v.20, pp.8-11.
- Rieppel, O., 1989. *Helveticosaurus zollingeri Peyer (Reptilia, Diapsida): skeletal paedomorphosis; functional anatomy and systematic affinities*. *Palaeontographica Abteilung A: Paläozooologie-Stratigraphie*, v.208, no.4-6, pp.123-152.
- Rieppel, O., 2000. *Sauropterygia I*, in Wellnhofer, P., ed., *Encyclopedia of Paleoherpetology*, Volume 12A. Munich, Verlag Dr. Friedrich Pfeil, 134p.
- Sander, P.M., N. Klein, P.C.H. Albers, C. Bickelmann, & H. Winkelhorst, 2014. Postcranial morphology of a basal *Pistosauroidea* (*Sauropterygia*) from the Lower Muschelkalk of Winterswijk, The Netherlands. *Paläontologische Zeitschrift*, v.88, no.1, pp.55-71.
<https://doi.org/10.1007/s12542-013-0181-5>
- Scheyer, T.M., J.M. Neenan, T. Bodogai, H. Furrer, C. Obrist, & M. Plamondon, 2017. A new, exceptionally preserved juvenile specimen of *Eusaurosphargis dalsassoi* (*Diapsida*) and implications for Mesozoic marine diapsid phylogeny. *Scientific Reports*, v.7, no.4406,
<https://doi.org/10.1038/s41598-017-04514-x>
- Schulp, A.S., R.W. Bleeker, A. Haarhuis, E. van Spronsen, M.A.D. During, G. Goris, P. Kaskes, Y. Matteman, W. Winkelhorst, & H. Winkelhorst, 2017. A tetrapod swimming traceway from the Triassic of Winterswijk, the Netherlands. *Netherlands Journal of Geosciences*, v.96, no.3, pp.273-277. <https://doi.org/10.1017/njg.2017.13>
- Spiekman, S.N.F., R.W. Bleeker, M. Dorst, R. De Haan, H. Winkelhorst, & D.F.A.E. Voeten, 2019. *Tanystropheids from the Winterswijkse Steengroeve – rare but recurring elements in the Vossenveld palaeoassemblage*. Grondboor & Hamer, v.73, no.5/6 - *Staringia* 16, pp. 208-215.
- Voeten, D.F.A.E., T. Reich, R. Araújo, & T.M. Scheyer, 2018. *Synchrotron microtomography of a Nothosaurus marchicus skull informs on nothosaurian physiology and neurosensory adaptations in early Sauropterygia*. *PLoS One*, v.13, no.1, p.e0188509.
<https://doi.org/10.1371/journal.pone.0188509>

- **Wild, R., & H.W. Oosterink, 1984.** *Tanystropheus (Reptilia: Squamata) aus dem Unteren Muschelkalk von Winterswijk, Holland*. Grondboor & Hamer, v.38. no.5, pp.142-148.
<http://natuurtijdschriften.nl/download?type=document&docid=405258>

P.278 HET BERGEN EN PREPAREREN VAN FOSSIËLEN UIT DE GROEVE

Herman Winkelhorst*, Jos Lankamp*, Rolf Harmelink*, Hans van der Donck*

(*Werkgroep Muschelkalk Winterswijk, Nederlandse Geologische Vereniging, Winterswijk.)

- **Oosterink, H.W., & H. Winkelhorst, 2013.** *Probable remains of jellyfish (Cnidaria, Scyphozoa) from the lower Middle Triassic (Anisian) of Winterswijk, eastern Netherlands*. Netherlands Journal of Geosciences, v.92, no.1, pp.61-67. <https://doi.org/10.1017/s0016774600000287>
- **Pohlig, H., 1892.** *Altpermische Saurierfährten, Fische und Medusen der Gegend von Friedrichroda; in Thüringen*, Festschrift zum 70. Geburtstag von Rudolf Leuckardt: Engelmann, Leipzig, pp.59-64.

P.288 MUSEUM COLLECTIONS AND EXHIBITIONS

Melanie A.D. During^{*1,2}, Charles de Jong^{2,3}, Dirk Willink⁴, Anne S. Schulp^{2,5,6}

(¹ Evolutionary Biology Center, Uppsala University, Uppsala, Sweden, ²Workgroup Muschelkalk Winterswijk, Dutch Geological Association, Winterswijk, the Netherlands, ³De Museumfabriek, Enschede, the Netherlands, ⁴Stichting Terra Temporalis, Winterswijk, the Netherlands, ⁵Naturalis Biodiversity Center, Leiden, the Netherlands, ⁶Utrecht University, the Netherlands)

- **No declared references / geen referenties opgegeven.**

P.294 STATE-OF-THE-ART: VIRTUAL PALAEONTOLOGY OF VOSSENVELD FOSSIL

Dennis F.A.E. Voeten^{*1,2} & Richard de Haan²

(*dennis.voeten@naturalis.nl, ¹Naturalis Biodiversity Center, Leiden, the Netherlands

²Workgroup Muschelkalk Winterswijk, Dutch Geological Association, Winterswijk, the Netherlands.)

- **Albers, P.C.H., & O. Riippel, 2003.** *A new species of the sauropterygian genus Nothosaurus from the Lower Muschelkalk of Winterswijk, the Netherlands*. Journal of Paleontology, v.77. no.4, pp.738-744. <https://doi.org/10.1017/s0022336000044462>
- **Cau, A., V. Beyrand, D.F.A.E. Voeten, V. Fernandez, P. Tafforeau, K. Stein, R. Barsbold, K. Tsogtbaatar, P.J. Currie, & P. Godefroit, 2017.** *Synchrotron scanning reveals amphibious ecomorphology in a new clade of bird-like dinosaurs*. Nature, v.552, no.7685, pp.395-399. <https://doi.org/10.1038/nature24679>
- **Cunningham, J. A., I.A. Rahman, S. Lautenschlager, E.J. Rayfield, & P.C.J. Donoghue, 2014.** *A virtual world of paleontology*. Trends in Ecology & Evolution, v.29, no.6, pp.347-357. <https://doi.org/10.1016/j.tree.2014.04.004>
- **Eisenberg, R.L., 1992.** Radiology: An Illustrated History. Mosby Incorporated.
- **Eriksson, M.E., F. Terfelt, R. Elofsson, & F. Marone, 2012.** *Internal soft-tissue anatomy of Cambrian 'Orsten' arthropods as revealed by synchrotron X-ray tomographic microscopy*. PLoS One, v.7, no.8, p.e42582. <https://doi.org/10.1371/journal.pone.0042582>
- **Frankel, R.I., 1996.** *Centennial of Röntgen's discovery of X-rays*. Western Journal of Medicine v.164, no.6, pp.497-501.
- **Heijne, J., N. Klein, & P.M. Sander, 2019.** *The uniquely diverse taphonomy of the marine reptile skeletons (Sauropterygia) from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands*. Paläontologische Zeitschrift, v. 93, no.1, pp.69-92. <https://doi.org/10.1007/s12542-018-0438-0>
- **Hsieh, J., 2009.** Computed tomography: principles, design, artifacts, and recent advances. Bellingham, WA: SPIE.

- **Jakubek, J., 2007.** Data processing and image reconstruction methods for pixel detectors. *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment* v.576, no.1, pp.223-234. <https://doi.org/10.1016/j.nima.2007.01.157>
- **Kak, A.C., & M. Slaney, 2002.** Principles of computerized tomographic imaging. *Society of Industrial and Applied Mathematics*.
- **Klein, N., 2009.** Skull morphology of Anarosaurus heterodontus (*Reptilia: Sauropterygia: Pachypleurosauria*) from the Lower Muschelkalk of the Germanic Basin (Winterswijk, The Netherlands). *Journal of Vertebrate Paleontology*, v.29, no.3, pp.665-676.
- **Klein, N., 2010.** Long bone histology of Sauropterygia from the Lower Muschelkalk of the Germanic Basin provides unexpected implications for phylogeny. *PLoS ONE*, v.5, no.7, p.e11613. <https://doi.org/10.1371/journal.pone.0011613>
- **Klein, N., D.F.A.E. Voeten, J. Lankamp, R.W. Bleeker, O.J. Sichelschmidt, M. Liebrand, D.C. Nieweg, & P.M. Sander, 2015.** Postcranial material of Nothosaurus marchicus from the Lower Muschelkalk (Anisian) of Winterswijk, The Netherlands, with remarks on swimming styles and taphonomy. *Paläontologische Zeitschrift*, v.89, no 4, p 961-981. <https://doi.org/10.1007/s12542-015-0273-5>
- **Lautenschlager, S., 2016.** Digital reconstruction of soft-tissue structures in fossils. *The Paleontological Society Papers*, v.22, pp.101-117.
- **Maldanis L., M. Carvalho, M.R. Almeida, F.I. Freitas, J.A.F.G. de Andrade, R.S. Nunes, C.E. Rochitte, R.J. Poppi, R.O. Freitas, F. Rodrigues, S. Siljeström, F.A. Lima, D. Galante, I.S. Carvalho, C.A. Perez, M.R. de Carvalho, J. Bettini, V. Fernandez, & J. Xavier-Neto, 2016.** Heart fossilization is possible and informs the evolution of cardiac outflow tract in vertebrates. *Elife*, v.5, p.e14698. <https://doi.org/10.7554/elife.14698>
- **Neenan, J. M., N.Klein, & T.M. Scheyer, 2013.** European origin of placodont marine reptiles and the evolution of crushing dentition in Placodontia. *Nature Communications*, v.4, no.2284. <https://doi.org/10.1038/ncomms2633>
- **Oosterink, H.W., 1986.** Winterswijk, Geologie Deel II. De Trias-periode (geologie, mineralen en fossielen). *Wetenschappelijke Mededelingen van de Koninklijke Nederlandse Natuurhistorische Vereniging*, v.178, pp.1-120.
- **Oosterink, H.W., W. Berkelder, C. De Jong, J. Lankamp, & H. Winkelhorst, 2003.** Sauriërs uit de Onder-Muschelkalk van Winterswijk. *Grondboor & Hamer*, v.57 - *Staringia* 11, pp.1-146.
- **Qvarnström, M., G. Niedźwiedzki, P. Tafforeau, Ž. Žigaité, & P.E. Ahlberg, 2017.** Synchrotron phase-contrast microtomography of coprolites generates novel palaeobiological data. *Scientific Reports*, v.7, no.2723, <https://doi.org/10.1038/s41598-017-02893-9>
- **Pradel, A., M. Langer, J.G. Maisey, D. Geffard-Kuriyama, P. Cloetens, P. Janvier, & P. Tafforeau, 2009.** Skull and brain of a 300-million-year-old chimaeroid fish revealed by synchrotron holotomography. *Proceedings of the National Academy of Sciences*, v.106, no.13, pp.5224-5228. <https://doi.org/10.1073/pnas.0807047106>
- **Radon, J., 1917.** Über die Bestimmung von Funktionen durch ihre Integralwerte längs gewisser Mannigfaltigkeiten. *Berichte über die Verhandlungen der Königlich Sächsischen Gesellschaft der Wissenschaften zu Leipzig. Mathematisch- Physische Klasse*, v.69 , pp.262-277.
- **Rahman, I.A., K. Adcock, & R.J. Garwood, 2012.** Virtual fossils: a new resource for science communication in paleontology. *Evolution: Education and Outreach*, v.5, pp.635-641.
- **Rieppel, O., 2000.** *Sauropterygia I*, in Wellnhofer, P., ed., *Encyclopedia of Paleoherpetology, Volume 12A*. Munich, Verlag Dr. Friedrich Pfeil, 134p.
- **Röntgen, W.K., 1896.** A new form of radiation. *Science*, v.3, no.72, pp.726-729. <https://doi.org/10.1126/science.3.72.726>
- **Sanchez, S., P.E. Ahlberg, K.M. Trinajstic, A. Mirone, & P. Tafforeau, 2012.** Three-dimensional synchrotron virtual paleohistology: a new insight into the world of fossil bone microstructures. *Microscopy and Microanalysis*, v.18, no.5, pp.1095-1105. <https://doi.org/10.1017/s1431927612001079>

- **Sander, P.M., N. Klein, P.H.C. Albers, C. Bickelmann & H. Winkelhorst, 2014.** Postcranial morphology of a basal *Pistosauroidea* (*Sauroptrygia*) from the Lower Muschelkalk of Winterswijk, The Netherlands. *Paläontologische Zeitschrift*, v.88, no.1, pp.55-71. <https://doi.org/10.1007/s12542-013-0181-5>
- **Tafforeau, P., R. Boistel, E. Boller, A. Bravin, M. Brunet, Y. Chaimanee, P. Cloetens, M. Feist, J. Hoszowska, J.-J. Jaeger, R.F. Kay, V. Lazzari, L. Marivaux, A. Nel, C. Nemoz, X. Thibault, P. Vignaud, S. Zabler, 2006.** Applications of X-ray synchrotron microtomography for non-destructive 3D studies of paleontological specimens. *Applied Physics A*, v.83, no.2, pp.195-202. <https://doi.org/10.1007/s00339-006-3507-2>
- **Trinajstic, K., S. Sanchez, V. Dupret, P. Tafforeau, J. Long, G. Young, T. Senden, C. Boisvert, N. Power, & P.E. Ahlberg, 2013.** Fossil musculature of the most primitive jawed vertebrates. *Science*, v.341, no.6142, pp.160-164. <https://doi.org/10.1126/science.1237275>
- **Voeten, D.F.A.E., P.M. Sander, & N. Klein, 2015.** Skeletal material from larger *Eusauroptrygia* (Reptilia: *Eosauroptrygia*) with nothosaurian and cymatosaurian affinities from the Lower Muschelkalk of Winterswijk, The Netherlands. *Paläontologische Zeitschrift*, v.89 no.4, pp.943-960. <https://doi.org/10.1007/s12542-014-0250-4>
- **Voeten, D.F.A.E., T. Reich, R. Araújo, & T.M. Scheyer, 2018.** Synchrotron microtomography of a Nothosaurus marchicus skull informs on nothosaurian physiology and neurosensory adaptations in early Sauroptrygia. *PloS One*, v.13, no.1, p.e0188509. <https://doi.org/10.1371/journal.pone.0188509>
- **Zuber, M., M. Laaß, E. Hamann, S. Kretschmer, N. Hauschke, T. van de Kamp, T. Baumbach, & T. Koenig, 2017.** Augmented laminography, a correlative 3D imaging method for revealing the inner structure of compressed fossils. *Scientific Reports* v.7, no.41413. <https://doi.org/10.1038/srep41413>